

UNCLASSIFIED

ACP 121(I)

COMMUNICATION INSTRUCTIONS GENERAL

ACP 121(I)



OCTOBER 2010

UNCLASSIFIED

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

FOREWORD

1. The Combined Communications-Electronics Board (CCEB) is comprised of the five member nations, Australia, Canada, New Zealand, United Kingdom and United States and is the Sponsoring Authority for all Allied Communications Publications (ACPs). ACPs are raised and issued under common agreement between the member nations.
2. ACP 121(I), COMMUNICATION INSTRUCTIONS – GENERAL, is an UNCLASSIFIED CCEB publication.
3. This publication contains Allied military information for official purposes only.
4. It is permitted to copy or make extracts from this publication.
5. This ACP is to be maintained and amended in accordance with the provisions of ACP 198.

Uncontrolled copy when printed

UNCLASSIFIED**ACP 121(I)****CCEB LETTER OF PROMULGATION FOR ACP 121(I)**

1. The purpose of this Combined Communication Electronics Board (CCEB) Letter of Promulgation is to implement ACP 121(I) within the Armed Forces of the CCEB Nations. ACP 121(I), COMMUNICATIONS INSTRUCTIONS – GENERAL, is an UNCLASSIFIED publication developed for Allied use and, under the direction of the CCEB Principals. It is promulgated for guidance, information and use by the Armed Forces and other users of military communications facilities.

2. ACP 121(I) is effective on receipt for CCEB Nations and when directed by the NATO Military Committee (NAMILCOM) for NATO Nations and Strategic Commands. ACP 121(I) will supersede ACP 121(H), which shall be destroyed in accordance with national regulations.

EFFECTIVE STATUS

Publication	Effective for	Date	Authority
ACP 121(I)	CCEB	On Receipt	LOP

3. All proposed amendments to the publication are to be forwarded to the national coordinating authorities of the CCEB or NAMILCOM.

For the CCEB Principals

Paul Foster

P. FOSTER

Major, CF

CCEB Permanent Secretary

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

RECORD OF CHANGES AND CORRECTIONS

Identification of Change or Correction and Date		Date Entered	Entered by (Signature ~ Rank, Grade or Rate & Name of Command)
Change	Correction		

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

TABLE OF CONTENTS

FOREWORD.....	i
CCEB LETTER OF PROMULGATION FOR ACP 121(I).....	ii
RECORD OF CHANGES AND CORRECTIONS.....	iii
TABLE OF CONTENTS	iv
CHAPTER 1.....	2-1
INTRODUCTION AND DEFINITIONS.....	2-1
PURPOSE.....	2-1
SCOPE.....	2-1
ALLIED COMMUNICATIONS PUBLICATIONS (ACPs).....	2-1
DEFINITION of TERMS	2-1
CHAPTER 2.....	2-1
COMMUNICATIONS ROLE, HISTORY, CONCEPT, CAPABILITIES AND MEANS	2-1
SECTION I.....	2-1
GENERAL	2-1
ROLE OF MILITARY COMMUNICATIONS	2-1
SECTION II.....	2-1
HISTORY OF MILITARY COMMUNICATIONS	2-1
GENERAL	2-1
PERIODS OF DEVELOPMENT	2-1
SECTION III	2-3
CONCEPT AND CAPABILITIES.....	2-3
TYPES OF COMMUNICATIONS SYSTEMS	2-3
USER RESPONSIBILITIES	2-4
SECTION IV	2-4
MEANS OF COMMUNICATIONS	2-4
GENERAL	2-4
ELECTRICAL/ELECTRONIC.....	2-5
VISUAL	2-5
SOUND/ACOUSTIC	2-6
MAIL.....	2-6
MESSENGER/COURIER.....	2-7
SECTION V	2-7
LIST OF ASSOCIATED PUBLICATIONS	2-7
ALLIED COMMUNICATIONS PUBLICATIONS (ACPs).....	2-7
SECTION VI.....	2-9
ADMINISTRATIVE CONTROL	2-9
CHAPTER 3.....	3-1
MESSAGE PREPARATION	3-1
SECTION I.....	3-1
INTRODUCTION	3-1
ORIGINATOR	3-1
TEXT	3-1
RESPONSIBILITIES OF THE RELEASING OFFICER.....	3-1
SECTION II.....	3-2
TYPES OF MESSAGE	3-2
GENERAL	3-2
ORGANIZATIONAL ADDRESSED MESSAGE.....	3-2
SECTION III	3-3
ADDRESS OF MESSAGES	3-3
COMPONENTS OF THE ADDRESS	3-3
LIMITING THE NUMBERS OF ADDRESSEES.....	3-3

UNCLASSIFIED

ACP 121(I)

AUTHORITIES TO BE ADDRESSED	3-3
SECTION IV	3-4
DRAFTING THE TEXT	3-4
BREVITY	3-4
PUNCTUATION	3-5
PHONETIC EQUIVALENTS	3-5
NUMBERS	3-6
EXPRESSION OF DATE AND TIME IN THE TEXT	3-6
REPETITION	3-8
REFERENCES	3-8
SPECIAL MESSAGE DESIGNATIONS/INTERNAL HANDLING INSTRUCTIONS	3-9
EXERCISE COMMUNICATIONS	3-11
SECTION V	3-12
MESSAGE ELEMENTS / COMPONENTS	3-12
GENERAL	3-12
INSTRUCTIONS FOR FILLING OUT THE MESSAGE FORM	3-12
DETERMINING SECURITY CLASSIFICATION	3-16
CLASSIFIED MESSAGES TRANSMITTED IN PLAIN LANGUAGE	3-17
DETERMINING PRECEDENCE	3-18
DUAL PRECEDENCE	3-19
ASSIGNMENT OF PRECEDENCE	3-20
SEQUENCE OF TEXTUAL MATTERS	3-24
SECTION VI	3-25
SPECIAL CONSIDERATIONS	3-25
ACKNOWLEDGEMENTS	3-25
CONFIRMATION OF DELIVERY	3-26
CANCELLATIONS	3-27
CORRECTIONS	3-27
REPETITIONS, CHECKS AND VERIFICATIONS	3-27
READDRESSING MESSAGES	3-27
SECTION VII	3-29
REDUCTION OF MESSAGE AND TELEPHONE TRAFFIC IN AN EMERGENCY	3-29
REASON FOR REDUCTION AND CONTROL OF TRAFFIC	3-29
MEANING AND EFFECTS OF MINIMIZE	3-29
AUTHORITY TO IMPOSE MINIMIZE	3-29
APPLICATION OF MINIMIZE	3-29
CONTROL OF MESSAGE AND TELEPHONE TRAFFIC DURING MINIMIZE	3-30
CANCELLATION OR MODIFICATION OF MINIMIZE	3-31
SECTION VIII	3-32
INSTRUCTIONS ON MAIL AND EXTERNAL MESSENGER DELIVERY BY COMMUNICATION CENTRES	3-32
ANNEX A TO CHAPTER 3	3A-1
CHAPTER 4.....	4-1
SPECTRUM MANAGEMENT	4-1
PURPOSE	4-1
BACKGROUND	4-1
SPECTRUM CONTROL CONCEPTS	4-1
RESPONSIBILITIES IN OPERATIONS	4-1
SPECTRUM MANAGEMENT PROCESS	4-1
INTERFERENCE RESOLUTION	4-1
REPORT OF HARMFUL INTERFERENCE	4-2
INFORMATION EXCHANGE	4-3
CHAPTER 5.....	5-1
CALL AND ADDRESS COMPONENTS OF MESSAGE HEADINGS	5-1
SECTION I	5-1

UNCLASSIFIED

ACP 121(I)

PURPOSE.....	5-1
STATION AND ADDRESS DESIGNATORS.....	5-1
SECTION II.....	5-2
USE OF STATION AND ADDRESS DESIGNATORS	5-2
GENERAL	5-2
USE OF CALL SIGNS.....	5-3
USE OF ADDRESS GROUPS.....	5-4
USE OF ROUTING INDICATORS.....	5-6
USE OF PLAIN LANGUAGE STATION AND ADDRESS DESIGNATORS	5-6
ADDRESS COMPOSITION AND USE OF ADDRESS INDICATING GROUPS (AIGs)	5-6
SECTION III	5-8
COMPOSITION AND ALLOCATION OF CALLSIGNS.....	5-8
COMPOSITION AND ALLOCATION OF ADDRESS GROUPS AND ADDRESS INDICATING GROUPS	5-9
COMPOSITION OF ROUTING INDICATORS.....	5-10
ROUTING INDICATOR DELINEATION TABLE.....	5-14
SECTION IV	5-16
ASSIGNMENTS AND REQUESTS.....	5-16
REQUESTS.....	5-17
FORMAT FOR SUBMITTING REQUESTS FOR CORRECTIONS	5-17
SECTION V	5-17
SECURITY OF CALL SIGNS AND ADDRESS GROUPS	5-17
GENERAL	5-17
METHODS FOR CHANGING CALL SIGN/ADDRESS GROUPS	5-17
IMPLEMENTATION OF SECURE CALL SIGNS/ADDRESS GROUPS.....	5-18
SECURITY CLASSIFICATION OF CALL SIGN/ADDRESS GROUP INFORMATION	5-19
CHAPTER 6.....	6-1
SPECIAL INSTRUCTIONS AND PROCEDURES.....	6-1
SECTION I.....	6-1
RECORDS TYPE AND IMPORTANCE	6-1
SECTION II.....	6-1
GENERAL CALLING PROCEDURES	6-1
DOUBLE CALL SIGN CALLING PROCEDURE	6-1
SINGLE CALL SIGN CALLING PROCEDURE	6-1
SECTION III	6-2
CODRESS	6-2
GENERAL	6-2
RULES FOR USE	6-2
SECTION IV	6-3
ENEMY CONTACT REPORTS.....	6-3
GENERAL	6-3
COMMAND RESPONSIBILITY	6-3
RESPONSIBILITIES OF THE COMMUNICATIONS ORGANIZATION	6-3
TYPE AND COMPOSITION OF REPORTS	6-3
SPEED AND SECURITY IN TRANSMITTING ENEMY CONTACT REPORTS.....	6-4
TRANSMISSION.....	6-4
PRECEDENCE	6-4
AUTHENTICATION.....	6-5
GLOSSARY OF ABBREVIATIONS AND TERMS	Glossary-1

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121 (H)

CHAPTER 1

INTRODUCTION AND DEFINITIONS

PURPOSE

101. This publication provides general information and guidance on communications matters in order to:

- a. Promote an understanding of the concepts and capabilities of modern military communications systems.
- b. Facilitate the use of available communications services by commanders, staff officers and other non-communications trained personnel.
- c. Provide a basis for procedural and operational communications publications by explaining the composition of a signal message, a description of MINIMIZE procedure, call signs and address groups.

SCOPE

102. Chapters 2 and 3 of this publication are designed to provide a simple explanation of general communications terms and to explain the method of preparing signal messages for transmission.

103. Chapters 4, 5 and 6 provide a more in-depth explanation and are intended for communications staff.

ALLIED COMMUNICATIONS PUBLICATIONS (ACPS)

104. ACPS provide communications instructions and procedures, which are essential to the conduct of military operations.

105. ACPS are prepared in accordance with the format contained in ACP 198.

DEFINITION OF TERMS

106. The Definitions of terms contained in this publication are located at the Glossary of Terms. Additional information can be found in the ACP 167.

Uncontrolled copy when printed

UNCLASSIFIED**ACP 121(I)****CHAPTER 2****COMMUNICATIONS ROLE, HISTORY, CONCEPT, CAPABILITIES AND MEANS****SECTION I****GENERAL****ROLE OF MILITARY COMMUNICATIONS**

201. The primary purpose of military communications and information systems (CIS) is to serve the military commander. In this role, CIS allows the commander to exert personal influence by exercising command and control (C2) of a larger force and a widely dispersed area than would otherwise be possible.

202. The secondary purpose of military communications is to provide a mechanism to expeditiously transfer information securely, rapidly and reliably between individuals and groups of individuals. Therefore, a robust CIS infrastructure is essential to provide communications in support of operations, intelligence, logistics, administration, defensive and offensive Command and Control Warfare (C2W).

SECTION II**HISTORY OF MILITARY COMMUNICATIONS****GENERAL**

203. In order to examine modern military CIS, it is necessary to review the progressive development of messaging and the interaction with military science. As the two fields become more complex, the margin of error becomes more critical and the efficiency of a communication system rises to levels that would have been unimaginable to early communications pioneers.

204. Throughout the history of military communications the requirements of reliability, speed, accuracy and security has never changed.

PERIODS OF DEVELOPMENT

205. Progress in the field of military communications can be divided into several overlapping periods. Each of these periods has been followed by a change in military operational concepts and doctrine as a result of new weapons or communications systems. An increasingly complicated international political scene has also greatly contributed to these changes.

206. Prior to 1900, communication systems had slowly progressed from local area, sound and visual systems (i.e. drums, smoke and flags) to more extensive telegraph systems utilizing fixed wire circuits. The telegraph system enabled commanders to control events over long distances. However, this only applied to land forces and did not solve the C2 arrangements for ships at sea. Shortly after 1900, the introduction of onboard wireless systems overcame this

UNCLASSIFIED

UNCLASSIFIED**ACP 121(I)**

problem, enabling vessels to maintain inter ship communications and also to communicate with Fleet Commanders via strategically placed shore stations. During and after World War I, radio became widespread, providing strategic and tactical worldwide communications from ships, aircraft, headquarters and vehicles.

207. The requirements for military communications rapidly expanded throughout World War II. Consequently, it was considered essential to further develop communications systems in order to achieve successful co-ordination, command and control of a global war. The requirements for compatible equipment and procedures with Allied Forces were necessary to achieve a more efficient C2 system. It was during this period that the teletypewriter became the backbone of military communications systems, utilizing semi-automatic techniques of message transmission and relay to further increase capacity and speed of delivery.

208. From the end of World War II to the 1960s, weapons systems experienced a number of revolutionary changes and developments. However, few changes were made to the military communications structure. The global teletypewriter networks continued to carry the bulk of military traffic with only evolutionary refinements and it became increasingly apparent that these facilities were falling behind the requirements of the user. While on-line cryptography, telegraph automatic relay equipment and multi-channel techniques improved system capabilities, the inherent limitations of long distance High Frequency (HF) communications circuits could no longer cope with the demands of the commander's C2 requirements.

209. Throughout the 1960s, space technology made a quantum leap forward and the era of the satellite communications was born. Satellites have gradually replaced HF strategic links as the primary means of communication by utilizing both Ultra High Frequency (UHF) and Super High Frequency (SHF) line of sight links. Further developments produced a growing requirement for mobile satellite stations suitable for deployment in either a tactical field environment or on a ship. Therefore, most military units have access to some form of satellite communications.

210. The next major development took place in the 1970s, when the microprocessor was born and enabled computers to more effectively and efficiently support message handling. The physical size and cost of computers has constantly reduced while processor capabilities continue to increase at a remarkable pace. Computer controlled communications systems are now commonplace, with most strategic and mobile networks routing signal traffic with the minimal of human intervention.

211. Since the 1980s, computer based MHS has spread to mobile units and ships, enabling strategic links, usually established via satellite, to be maintained between main headquarters and the deployed commander. MMHS is rapidly developing with the constant increase in data speeds enabling more signal traffic, intelligence information and graphical representations to be exchanged.

212. International events in the early 1990s, led to a significant increase in the number of countries contributing to various alliances such as NATO, the European Union and the expanding 'Partnership for Peace' programme. This increase in new member states provides

UNCLASSIFIED

UNCLASSIFIED**ACP 121(I)**

sufficient justification to ensure that all ACP sponsors regularly update and maintain their respective publications.

213. Future emphasis is likely to be toward direct services between users of computer terminals, in the form of desktop-to-desktop facilities using military messaging services. Developments in satellite technology and greater use of the frequency spectrum is likely to provide multi-channel/mode of operation to enable voice, data, graphics, facsimile and video or imagery to be fully exploited.

SECTION III**CONCEPT AND CAPABILITIES****TYPES OF COMMUNICATIONS SYSTEMS**

214. Military communications systems are divided into two general classes: Tactical and Strategic.

- a. Tactical systems are usually self-contained within a command structure and are designed to allow the commander to conduct his mission at the operational level, e.g. communications for control of a weapons system, early warning systems, aircraft movement control or land component command nets.
- b. Strategic communications systems are generally more global in nature and are operated on either a common-user or special purpose basis. While a strategic system may be confined within a specified area, it may be limited to a particular type of traffic. The configuration is such that interoperability with other strategic systems is possible when desired or required. Equipment and procedural compatibility between strategic systems is essential to ensure the efficient interchange of information. It is considered vital that a worldwide Routing Plan is available to communications staff of Allied Forces. A detailed explanation is contained in Chapter 5 of this publication.

215. Although the previous subparagraphs separate tactical and strategic communications into two groups, modern developments in C2 computer systems are progressively eroding this distinction. While it is inevitable that some Military CIS will remain strategic in nature, the increasing use of modern equipments and systems will result in the appearance of mixed systems, which are both strategic and tactical in nature.

Uncontrolled copy when printed

UNCLASSIFIED**ACP 121(I)****USER RESPONSIBILITIES**

216. The effectiveness of any communications system is directly influenced by those it serves and this is particularly true when the user obtains these services from a desktop. End-users will only be able to gain maximum benefit from the available services of the system if the individual make the effort to become familiar with the system capabilities and the relevant procedures. Useful information for originators of messages is contained in Chapter 3 of this publication.

SECTION IV**MEANS OF COMMUNICATIONS****GENERAL**

217. The various methods used in signal communications are as follows:

- a. Telecommunications:
 - (1) Electrical or electronic.
 - (2) Visual.
 - (3) Sound or acoustic.
- b. Physical:
 - (1) Mail.
 - (2) Messenger or courier.

218. In modern communications terminology, "telecommunications" is generally associated with fixed CIS infrastructure, which can be extended into the battlespace with high capacity bearers designed to interface with in-theatre systems. While this publication is primarily concerned with the electronic aspects of telecommunications, it should be recognized that the alternative means of communication also play an important role and should not be ignored.

219. Further information concerning the security of communications is contained in ACP 122 – Information Assurance for Allied Communications and Information Systems.

Uncontrolled copy when printed

UNCLASSIFIED**ACP 121(I)****ELECTRICAL/ELECTRONIC**

220. The electrical or electronic method is used in both tactical and strategic Military CIS and can be sub-divided into fixed infrastructure communications, radio communications or a combination of both. In addition, cryptographic devices may be used throughout the system or can be limited to specific portions of the system to enhance security.

221. These mean employ the following:

- a. Telephony (Voice). The transmission and reception of speech.
- b. Wireless Telegraphy. The transmission and reception of messages using the International Morse Code. This system is largely obsolete and is no longer in "mainstream" Military CIS use.
- c. Facsimile. The transmission of information, such as, pictures, maps, messages and other similar material.
- d. Video. The live transmission and reception of images and voice.
- e. Data Communications. Messaging services are generally applications that utilize data communications.

VISUAL

222. Visual, include those methods of transmission which can be received by optical means. The following methods are employed:

- a. Flashing Light. The term applied to the transmission of signals by light. The equipment employed may be directional or non-directional in operation. The use of Directional Flashing Light reduces the possibility of interception, thus providing some degree of security. When security is required at night only highly directional flashing light should be used and its brilliancy should be the minimum necessary to convey the information. Non-directional transmission permits simultaneous delivery to stations in any direction and has little security value.
- b. Infrared. The transmission of information by light, which is outside of the visible spectrum. This method may be either directional or non-directional and affords greater security than normal visual means. Special equipment is required.
- c. Hand Flags. Transmission of signals by means of one or two flags held in the operator's hands. The position or movement of the flags represents letters and numerals. Systems include semaphore, and (rarely) Morse flags.
- d. Pyrotechnics. This method involves the use of flares, rockets and smoke for pre-arranged signals or for recognition purposes.

Uncontrolled copy when printed

UNCLASSIFIED**ACP 121(I)**

- e. Panels. This means involves the use of specially shaped and/or coloured cloth or other material displayed in accordance with the pre-arranged code to convey messages. They are used between ground and air units.
- f. Flaghoist. The use of flags and pennants displayed from halyards. Although this is a rapid and accurate method of transmission, it is limited to daylight use and to comparatively short distances.
- g. Coloured Lights. Coloured lights may be displayed in accordance with a pre-arranged code to convey information.

SOUND/ACOUSTIC

223. Communications utilizing sound waves can be established with:

- a. Whistles, sirens, bells and similar devices, which can be used to transmit short messages normally consisting of pre-arranged signals. These methods are slow and only suitable for short distances. They are usually confined to warning or alerting signals.
- b. Underwater acoustic devices, which can be used to transmit messages, subject to the limitations of the equipment involved and the characteristics of sound transmission through water.

MAIL

224. Mail is the method of forwarding messages by an established postal service when speed of delivery is not an issue and security considerations allow.

225. In some instances, rapid delivery is only required for some addressees, while others can be adequately served by a slower method ([paragraph 368 "Dual Precedence"](#)), such as mail. Where possible, message originators should identify which addressees would be suitable for receiving messages via the postal service.

226. Normal postal services do not offer the degree of security necessary to transport highly classified material.

Uncontrolled copy when printed

UNCLASSIFIED**ACP 121(I)****MESSENGER/COURIER**

227. The messenger or courier method should always be used to deliver bulky material or any messages that could be delivered within the time required for encryption, transmission, decryption and delivery of a message. It is to be considered as a primary means of communication.

228. Messengers or Couriers can:

- a. Supplement or replace postal services where these services are inadequate or do not exist.
- b. Be used to convey all types of highly classified material.
- c. Be divided into two categories.
 - (1) Internal. To provide a means to collect and deliver messages locally, between a communications centre and the addressee or originator.
 - (2) External. To provide a service between widely dispersed locations.
- d. A messenger or courier service can be operated on a scheduled or special basis and can use any mode of transportation. Physical security arrangements are dictated by the classification of the material and the threat regarding the area of operation or the potential danger to the individual.

SECTION V**LIST OF ASSOCIATED PUBLICATIONS****ALLIED COMMUNICATIONS PUBLICATIONS (ACPS)**

Short Title	Long Title
ACP 100	Allied Callsign and Address Group System.
ACP 113	Call Sign Book for Ships.
ACP 117	Allied Routing Indicator Book.
ACP 121	Communications Instructions – General.
ACP 122	Information Assurance for Allied Communications and Information Systems.
ACP 123	Common Message Strategy and Procedures.
ACP 125	Communications Instructions Radio – Telephone Procedures.
ACP 126	Communications Instructions – Teletypewriter (Teleprinter) Instructions. – (Frozen).

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

Short Title	Long Title
ACP 127	Communications Instructions – Tape Relay Procedures. – (Frozen).
ACP 127 Supp-1	Communications Instructions – Procedures for Allied Fleet RATT Operations.
ACP 128	Allied Telecommunications Record System (ALTERS) Operating Procedures
ACP 13Ø	Communications Instructions – Signalling Procedures in the Visual Medium.
ACP 131	Communications Instructions – Operating Signals.
ACP 132	Field Generation and OTAD of COMSEC Key in Support of Tactical Operations and Exercises
ACP 133	Common Directory Services and Procedures.
ACP 135	Communications Instructions – Distress and Rescue Procedures.
ACP 137	Griffin Directory Services Technical Architecture.
ACP 142	A Protocol for Reliable Multicast Messaging in Bandwidth Constrained and Delayed Acknowledgement (EMCON) Environments.
ACP 145	Gateway-to-Gateway Implementation Guide for ACP 123/STANAG 44Ø6 Messaging Services.
ACP 15Ø	Recognition and Identification Instructions – Air, Land and Sea Forces. (Frozen in CCEB but used by NATO).
ACP 16Ø	IFF/SIF Operating Procedures.
ACP 167	Glossary of Communications-Electronic Terms.
ACP 176	Allied Naval and Maritime Air Communications Instructions.
ACP 19Ø	Guide to Spectrum Management in Military Operations.
ACP 193	A Ground Routing Protocol (GRP) for use with Automatic Link Establishment (ALE) Capable HF Radios.
ACP 194	Policy for the Coordination of Radio Frequency Allocations and Assignments between Cooperating Nations.
ACP 198	Instructions for the preparation of Allied Communications Publications.
ACP 2ØØ	Allied Maritime Tactical Wide Area Networking.
ACP 2Ø1	Communications Instructions Internet Protocol (IP) Services
ACP 22Ø	Multi National Videoconferencing Services.

Uncontrolled copy when printed

UNCLASSIFIED**ACP 121(I)****SECTION VI****ADMINISTRATIVE CONTROL**

229. A number of administrative standards must be achieved in order to ensure Military CIS systems provide the user with an efficient and satisfactory service. Therefore, supervisory staff are to ensure that the following areas are reviewed on a regular basis:

- a. Periodic inspections must be carried out within each command or administrative organization to ensure existing orders or instructions for handling signal traffic are being followed. A continuous review process should be in place at each level to ensure that CIS services are being used efficiently. Any problems that cannot be easily resolved should be directed to the controlling agency for appropriate action.
- b. Training and educational programmes are essential methods of providing personnel with the knowledge to work in a communications environment in an efficient and an effective manner. It is also important to ensure current rules for the safeguard of documents, signal traffic and COMSEC material are covered during regular training periods.
- c. Regular monitoring of standards is considered to be a vital element of maintaining and improving standards or efficiency. Local orders are to dictate the frequency of such checks, which could be on a daily or weekly basis, depending on the scope of the CIS task. Checks should include an examination of transmitted messages to ensure that Releasing Officers and communication staff are following correct procedures.
- d. Where possible, originators should attempt to deliver large, complex, routine reports by mail or courier.
- e. Messages should be delivered to the communications centre as soon as possible, once signed by the Releasing Officer. Signal messages should not be allowed to accumulate until the end of the working day. This would defeat the correct usage of the precedence system and place an unnecessary burden on communications staff.
- f. Control procedures and contingency plans are to be regularly exercised in order to ensure continuity of communications services.
- g. Staff officers and communications personnel should be briefed on the requirements for imposing and maintaining MINIMIZE procedure. This is an important aspect of system management, as a growing number of Releasing Officers will have direct access to modern computer based message handling systems, via desktop terminals. The briefing should emphasize the need for close liaison with CIS staff to control the origination and transmission of signal

Uncontrolled copy when printed

UNCLASSIFIED

UNCLASSIFIED

ACP 121(I)

messages or telephone calls. Further details regarding the imposition of restrictions are contained at [Chapter 3, Section VII](#).

Uncontrolled copy when printed

UNCLASSIFIED

UNCLASSIFIED

ACP 121(I)

CHAPTER 3**MESSAGE PREPARATION****SECTION I****INTRODUCTION**

301. Communications requiring rapid delivery are normally prepared for transmission as brief and concise messages.

ORIGINATOR

302. The originator of a message is the command, formation, unit or headquarters on whose authority a message is sent. The originator is responsible for the functions of drafting and release:

- a. The Drafter is the person who actually composes the message for release by the Releasing Officer.
- b. The Releasing Officer is the person who authorizes the transmission for, and in the name of, the originator.

TEXT

303. In addition to expressing the originator's thought or idea, the text may also contain such internal instructions as are necessary to indicate the requirement for special handling. ([See paragraph 339.](#))

RESPONSIBILITIES OF THE RELEASING OFFICER

304. The Releasing Officer is responsible for:

- a. Determining whether the message is necessary. A message is not to be used when a letter or other form of communication will suffice.
- b. Checking the type of message and addressees.
- c. Ensuring the proper use of the prescribed message form.
- d. Ensuring that the text is drafted in accordance with paragraphs [312 through 342](#).
- e. Determining the security classification and downgrading instructions.
- f. Determining the precedence for action and information addressees.
- g. Signing or authorizing the message i.e. Release.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

- h. Forwarding the message to the appropriate agency for transmission.

SECTION II**TYPES OF MESSAGE****GENERAL**

305. There are essentially two types of military messages exchanged today. These are:
- a. Messages that are addressed to one or more specific organization.
 - b. Messages addressed to a collective address (an AIG, CAD or Task Organization).

ORGANIZATIONAL ADDRESSED MESSAGE

306. A message addressed to one organization was formerly referred to as a Single Address message if it was addressed to a single Signal Message Address (SMA) or Plain Language Address (PLA) in Format Line 7.
307. A message addressed to two or more organizations was formerly referred to as either a Multiple Address or Book Message. This type of message must contain at least one Action PLA/SMA and may contain other Action and or Information PLAs/SMAs.
308. Messages addressed to a collective address include General Messages such as JAFPUB that have a wide standard distribution and are controlled using sequential serial numbers. Other collective address messages such as AIGs have a controlling authority that is responsible for maintaining currency of the members through formal modifications and/or recapitulations.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

SECTION III**ADDRESS OF MESSAGES****COMPONENTS OF THE ADDRESS**

309. The address component of a message may contain:
- a. Originator – Command by whose authority the message is sent.
 - b. Action Addressee(s) – Authority(ies) required by the originator to take necessary action.
 - c. Information addressee(s) – Authority(ies) considered by the originator to require the message for information.
 - d. Exempted addressees – when the originator desires to exclude one or more authorities from a collective title.
 - e. ZEN – Sent by other means

LIMITING THE NUMBERS OF ADDRESSEES

310. It is essential that the originator of a message limit the number of addressees to those who need to take action thereon and in the case of information addressees, to those for whom the information contained in the text is essential. Over addressing messages can lead to serious overloading of communication facilities.

AUTHORITIES TO BE ADDRESSED

311. Normally originators should only address messages to units and authorities within their own command organizations, in accordance with the established chain of command and other relevant instructions. The command organization may be intra-service, combined, joint or allied. Messages requiring promulgation beyond the originator's command organization should normally be addressed to the appropriate senior authority, who will assume the necessary relay action. Where national authorities are established within the geographical boundaries of an allied command organization:

- a. It is the prerogative of the nation concerned to decide whether such national authorities may be addressed by allied commanders. Allied commanders concerned, foreseeing a requirement for addressing national authorities, should seek prior agreement from the respective nation for such addressing.
- b. When national approval is given under these circumstances, the nation concerned should assume the responsibility of effecting delivery of the message to the appropriate national addressee(s).
- c. In the event a third nation should become involved in the handling of a message to

UNCLASSIFIED

ACP 121(I)

a specific national authority, the agreement of that third nation is also required.

SECTION IV**DRAFTING THE TEXT****BREVITY**

312. The need for brevity and clarity in message preparation cannot be over emphasized. To avoid misinterpretation and further explanatory messages, the message must state exactly what is meant and must not be vague or ambiguous. Consistent with this, all unnecessary words are to be eliminated. Commonly used conjunctions, prepositions and articles such as AND, BUT, FOR, IN, ON and THE are to be eliminated unless essential to the meaning.

313. Abbreviations and short titles are used in messages in order to shorten the text, thereby saving transmission time. Indiscriminate and injudicious use, however, results in loss of intelligibility and exactness in communications. In general, only those abbreviations and short titles agreed for use between the originator and all addressees of a particular message may be used.

314. Use only abbreviations and short titles that serve a useful purpose, such as: Points of the compass, map co-ordinates; model designations and symbols for common types of aircraft, ships, vehicles, equipment and weapons; technical terms when communicating between activities or individuals in the same field; communications-electronic terms; titles, ranks and grades; universally known geographical locations.

315. After initially spelling out a word, term or organization in conjunction with its abbreviation or short title, the contraction may then be used alone in the same message, e.g. International Civil Aeronautical Organization (ICAO). Generally, words of five letters or less shall not be abbreviated.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

PUNCTUATION

316. Punctuation is not authorized to be in the PLA/SMA with the exception of the hyphen and the full stop, e.g. CTG 123.4 or TU 123.4.5 etc but not R.A.F. Brize Norton, nor L.E. ROISIN. Within the text of the message, the following abbreviations or symbols are authorized.

Punctuation	Abbreviation	Symbol
Comma	CMM	,
Colon	CLN	:
Full Stop/Period	PD	.
Hyphen		-
Oblique Stroke/Slant	SLANT	/
Paragraph	PARA	
Parenthesis/Left Hand Bracket	PAREN	(
Parenthesis/Right Hand Bracket	UNPAREN)
Question Mark	QUES	?
Quotation Marks	QUOTE – UNQUOTE	
Semi-Colon	SMCLN	;

317. Symbols should always be used in preference to abbreviations. Messages written in freehand should always be written in capital letters and periods/full stops and commas should be ringed to make them more conspicuous.

PHONETIC EQUIVALENTS

318. Phonetic alphabet:

Letter	Equivalent	Letter	Equivalent	Letter	Equivalent	Letter	Equivalent
A	ALFA	B	BRAVO	C	CHARLIE	D	DELTA
E	ECHO	F	FOXTROT	G	GOLF	H	HOTEL
I	INDIA	J	JULIET	K	KILO	L	LIMA
M	MIKE	N	NOVEMBER	O	OSCAR	P	PAPA
Q	QUEBEC	R	ROMEO	S	SIERRA	T	TANGO
U	UNIFORM	V	VICTOR	W	WHISKEY	X	XRAY
Y	YANKEE	Z	ZULU				

319. When it is necessary to include isolated letters in messages, the phonetic equivalents should be employed. It is inadvisable for message drafters to employ the phonetic equivalents for single letter words.

320. Phonetic equivalents are especially desirable when expressing lettered co-ordinates in operational orders or when ordering equipment by letter and number. The following exceptions apply:

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

- a. When names and initials are to be used, e.g. GW DUNCAN or GRAHAM WILLIAM DUNCAN, not GOLF WHISKEY DUNCAN.
- b. When the actual word is better, e.g. 26 DEGREES WEST, rather than 26 DEGREES WHISKEY.
- c. When the abbreviation is readily recognizable and authorized, e.g. USAF.

321. When writing the letters I and Z to avoid confusion with the numbers 1 and 2, distinguish between I and number 1 by underscoring the number, likewise distinguish Z from 2 by striking through the Z.

NUMBERS

322. Numbers may be written as digits or spelled out. When spelled out, they are expressed in words for each digit except:

- a. Numbers 1Ø through 2Ø are written as one word.

EXAMPLE: SIXTEEN

- b. Exact hundreds, thousands or millions are to be written the form "FIVE HUNDRED" etc.

EXAMPLES: 123.4 is written as "ONE TWO THREE POINT FOUR."
5ØØØ is written as "FIVE THOUSAND." FIVE FOUR SIX is unmistakable, but FIVE FORTY SIX could be interpreted to mean 54Ø6.

- c. The numbers 1 and Ø are to be written as 1 and Ø respectively to avoid confusion with the letters I and O.

EXPRESSION OF DATE AND TIME IN THE TEXT

323. Date. When a date by itself is needed in a message, it is expressed by one or two figures indicating the day of the month, followed by the first three letters of the month and, if necessary, the last two figures of the year. The four-digit year is optional depending on national standards or requirements.

EXAMPLE: 9 JUL or 9 JUL 11

324. A night is described by the two dates over which it extends.

EXAMPLES: Night 29/3Ø JUL

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

Night 3Ø SEP/1 OCT 11

325. The abbreviations for the months of the year are as follows.

January	JAN	July	JUL
February	FEB	August	AUG
March	MAR	September	SEP
April	APR	October	OCT
May	MAY	November	NOV
June	JUN	December	DEC

326. Time. Times in messages are expressed as four figures followed by a time zone letter. The first pair of figures indicates the hour on a 24 hour clock. The second pair indicates the minutes past the hour.

EXAMPLE: 1535Z

327. Where practicable the time 24ØØ should be avoided unless it is necessary to indicate this particular instant of time; instead use 2359 or ØØØ1. ØØØØ is not to be used unless it is accompanied by numbers to indicate a fraction of a minute past 24ØØ, e.g. ØØØØ.5 for ½ a minute past 24ØØ. When extra digits are added to indicate fractions of a minute, special care must be taken to avoid any possibility of confusion with a date-time group.

328. Date and Time Together.

- a. Date and time together are expressed as six figures followed by the zone letter. The first pair of figures indicates the day of the month, the second pair indicates the hour (24 hour clock) and the third pair indicates the minutes past the hour.

EXAMPLE: Ø6153ØZ (or other appropriate zone letter).

- b. The zone letter may be omitted in texts of messages containing a large number of times and/or date-time groups when a covering expression such as "all times Zulu" may be used instead of appending a zone letter to each. The use of such an expression must not be used when there is any chance of confusion such as a time or date-time group being mistaken for a map reference.
- c. In certain cases, to avoid confusion, it may be necessary to show the month and the year. They are shown in the same way as described in paragraph 323 above, for the indication of the date.

EXAMPLE: Ø9163ØZ JUL 11 represents 163Ø GMT on 9th July 2Ø11.

329. Time Zones. See Annex A for: "Table of Time Zones, Zone Descriptions, and Zone Letters"; "Explanation of the Conversion Chart"; "Use of the Conversion Chart"; "Alphabetical List of Cities with Time Zones"; "Time Zones of Frequently Worked Locations" (For Station

UNCLASSIFIED

ACP 121(I)

Use); and Annex B for "Time Conversion Chart"; and "Standard Time Zone Chart of the World".

REPETITION

330. A word may be repeated to prevent errors. It is not to be repeated solely for the purpose of emphasis. An example of the legitimate use of repetition is:

EXAMPLE: MIYAZAKI REPEAT MIYAZAKI (To minimise the possibility of mistaken identity or incorrect spelling).

331. Letters and numbers should not be repeated for emphasis; rather they should be spelled out.

REFERENCES

332. Within one service of one nation, references to messages will consist of YOUR, MY or the authorized abbreviated title of a third party followed by either:

- a. The originators reference number followed by the day and month (and year if not concurrent).

EXAMPLE: AFOAC 4321 12 DEC 10

Note: Where specified in separate service instructions, the day and month may be omitted when referring to messages originated during the current month, or:

- b. The Date-Time Group (DTG) of the message. (See paragraph 358 regarding UNCLASSIFIED replies and references to CLASSIFIED messages.)

EXAMPLE: YOUR 131412Z JUN 11

333. When referring to messages by or sent to other Services, Nations or Allied Commands, the originator's reference number (if any) or the Subject Indicator Code (SIC) (found at the beginning of the text on all NATO originated signals) followed by the DTG shall be used.

EXAMPLES: CANCOMMCON OPS 3618 131927Z DEC 10
MODUK KBL 231547Z JAN 11

334. When references are placed in messages destined for several addressees, care must be taken that such references are available to all addressees. In cases where a reference is not held by all addressees and the originator determines that those addressees do not need it, the indication "NOTAL" (meaning "Not to, nor needed, by all addressees") should be included after the reference.

EXAMPLE: SACT EC 796 141455Z JUN 11 NOTAL

335. References to letters, orders or other comments normally will consist of YOUR, MY or the authorized abbreviated title of a third party followed by the identification of the reference and

UNCLASSIFIED

ACP 121(I)

its date (day, month and year).

EXAMPLE: CDRUSEUCOM 827/1 DATED 12 MAY 11

336. When more than one reference is quoted, the originator may, if considered necessary, identify each reference separately by a letter.

EXAMPLE: A. YOUR 321/2/3 DATED 1Ø MAR 11
B. CINCFLEET LAB 17Ø759Z MAR 11

337. In a brief message of one paragraph where there is only one reference, the reference identification may be included in the body of the paragraph. In certain instances, it may be appropriate to include the identification of two references in the body of a brief message.

EXAMPLE:

UNCLAS
YOUR 181614Z FEB 11. CONFERENCE WILL CONVENE 22 FEB VICE
21 FEB.
UNCLAS
SCCPO-1A FOR SCCP PO
YOUR 121515Z JAN 11. MY 111217Z DEC 1Ø APPLIES

338. References contained in re-addressed messages become the responsibility of the command originating the re-addressal. Inquiries regarding these references shall be addressed to the re-addressing authority ([paragraph 392](#)).

SPECIAL MESSAGE DESIGNATIONS/INTERNAL HANDLING INSTRUCTIONS

339. Occasions will arise where messages must receive special handling and distribution. A common method of designating such special attention must be employed. Phrases so used should be concise and must be placed at the beginning of the text. The following terms with the meaning indicated are authorized for general use.

340. Special Handling Markings

- a. **EXCLUSIVE** – Messages so designated are to be delivered only to the person(s) whose name(s) or designation(s) appear(s) immediately following the word “Exclusive” or in the absence of the person(s) so addressed, to his authorized representative. Such messages must be handled only by specially designated personnel and must be classified. The word “Exclusive” is to be used followed by “FOR.....FROM.....”. The

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

- b. use of “FOR.....FROM.....” is mandatory. The NATO military messaging system cannot/will not send or receive messages bearing the caveat EXCLUSIVE.

EXAMPLE: EXCLUSIVE FOR ADMRIAL LEE-ANNE THIELE FROM COL GERARD MCMULLEN

- c. EYES ONLY – Messages so marked contain information that is not releasable outside of the nation(s), activity(ies) or international alliance indicated in front of the term EYES ONLY.

EXAMPLE: AUS/CAN/NZL/UK/US EYES ONLY

- d. In lieu of the EYES ONLY caveat, US users may apply a releasability statement following the message classification. This is to comply with recent DOD guidance that mandates that all US classified messages addressed to non-US organizations contain a releasability statement.

EXAMPLE: SECRET REL TO USA, AUS, CAN.GBR AND NZL

- e. CRYPTOSECURITY – Messages containing cryptographic information, the knowledge of which needs to be restricted to individuals authorized to receive it, are to be marked “CRYPTOSECURITY.” This term, if used, follows immediately the security classification. CRYPTOSECURITY messages must always be classified. The NATO military messaging system cannot/will not send or receive messages bearing the caveat CRYPTOSECURITY.

EXAMPLE: NATO CONFIDENTIAL CRYPTOSECURITY

- f. ATOMAL – Messages containing ATOMAL information, the knowledge of which must always be restricted to the individuals authorized to receive it, are to be marked ATOMAL. The NATO military messaging system cannot/will not send or receive messages bearing the caveat ATOMAL.

EXAMPLE: TOP SECRET ATOMAL

341. Internal Handling Instructions.

- a. FOR...or PASS TO – This instruction is to be followed by the name or title of a particular individual or particular (sub) division/(sub) section. It indicates that the text of the message is to receive the attention of that individual or (sub) division / (sub) section without necessarily limiting the normal distribution. Messages thus marked may be unclassified or classified. An indication of the originator may be given by the use of the word “FROM” followed by the name or title of a particular individual or particular (sub) division/(sub) section.
- b. The above does not prohibit the use of other special phraseology for directing message distribution. When other phrases are used, all addressees must be

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

familiar with such phrases and their meaning with regard to message distribution.

EXERCISE COMMUNICATIONS

342. Exercise Messages: Messages sent relating to training exercises, command post exercises, tactical exercises and manoeuvres conducted in the interest of training and readiness are exercise messages but are prepared and handled in the same way as normal traffic.

- a. Exercise messages are identified by the word “EXERCISE” followed by the exercise identification, which shall consist of a name or designation assigned by proper authority.

EXAMPLE: EXERCISE ROCK DOVE 2/11

- b. The officer conducting the exercise shall include appropriate instructions for identifying exercise messages in the directive for the conduct of the exercise in order to preclude alarming non-participants. Normally these instructions will require that the exercise identification, preceded by the word “EXERCISE” be used at the beginning of the text.
- c. Drill Messages: Messages intended for training communications personnel are drill messages. The text of a message intended for the training of communications personnel is to begin and end with the word “DRILL.”

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

SECTION V**MESSAGE ELEMENTS / COMPONENTS****GENERAL**

343. Whilst most Nations already have their own message form in an electronic format, the instructions in this section deal with filling out the message form illustrated on page 3-15, which is based on the UK Message form. These generic instructions apply equally to messages prepared on a blank piece of paper or any authorized form. While it is desirable to standardize a universal message form, these instructions are not intended to limit any additional intra-national requirements. However, the information required to complete the message form should be considered as a minimum standard. It is designed to facilitate processing regardless of the language used by the drafter. The size of the form and spaces are unimportant, but their use and relative positions should remain as indicated. If adopted for national use, the spaces provided on the form “for operators use” may be modified to meet national requirements.

INSTRUCTIONS FOR FILLING OUT THE MESSAGE FORM

344. **FOR COMM-CEN/SIGNALS USE.** The message form has a space for use by Communications Centre/Signals personnel. No entries are to be made in this space at the time the message is prepared by the drafter/releasing officer. If blank sheets are used, adequate space must be left for this purpose.

345. **PRECEDENCE.** Shows the relative order in which the message is to be processed. A message containing action and information addressees may reflect a lower precedence for the info addressees if so determined by the originator. See [paragraph 364](#) for determining precedence.

- a. Action – The precedence assigned to all action addressees will be entered in this block.
- b. Information – The precedence assigned to all information addressees will be entered in this block and is normally to be Routine.

346. **DATE-TIME GROUP.** The DTG is placed in the DATE-TIME GROUP block. Depending upon national requirements, the DTG may indicate either the date and time when the message was officially released by the releasing officer, or the date and time when the message was handed into a communications centre for transmission. The DTG is expressed as six digits followed by a zone suffix, and the month expressed by the first three letters and the last two digits of the year of origin. The zone suffix “Z,” meaning Greenwich Mean Time, is used except where the theatre or area commander prescribes the use of local time for local tactical situations. Where local time is used, the local zone suffix will be used.

347. **Time-Group.** In tactical messages, when using abbreviated procedure, ‘time-group’ may be used. For this procedure the characters denoting the date, month and year may be

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

omitted.

348. **MESSAGE INSTRUCTIONS.** Normally reserved for Communications Centre/Signals use, but may be used by the releasing officer to give any special instructions to the communications staff to indicate the desired method of delivery of a message; e.g. radio, landline, visual, mail, by hand; or to convey any other appropriate instructions.

349. **FROM.** The originators designation is entered in this block. Authorized PLAs/SMAs must be present in the 'FROM' element.

350. **TO: and INFO:** Addressees may be designated as either **ACTION** or **INFORMATION**. Authorized PLAs/SMAs must be used.

- a. **TO:** – When designated **ACTION**, the official designation of the addressee(s) will be placed in the "TO" section.
- b. **INFO:** – When designated **INFORMATION**, the official designation of the addressee(s) will be placed in the "INFO" section.

351. **SECURITY CLASSIFICATION:** The security classification assigned to a message will be indicated in the appropriate block. If the message contains classified information, the appropriate security classification must be determined by the originator. See paragraph 355. If the message does not contain classified information, this will be indicated by writing the word "UNCLAS" in the security classification block. (Also see paragraphs 356 and 361) As an exception, if a classified message is to be sent in plain language, as described in paragraph 363, the word "CLEAR" shall be written in this block.

352. **SIC Box.** This space is to be filled in by the originator. The SIC is an element of a military message that is used by most CCEB and NATO member nations for delivery purposes.

353. **TEXT.** Strive for brevity without loss of clarity. To save transmission and circuit time required for indenting, the message text should normally be prepared in block form i.e. without paragraph and subparagraph numbering, lettering or indenting. If paragraphing is specifically required or desired, modified letter format should be used:

- a. Paragraphs shall be numbered with Arabic numerals in sequence, followed by a fullstop; subparagraphs shall be lettered alphabetically in sequence, followed by a fullstop; sub-subparagraphs shall be numbered with the Arabic numerals in parentheses, commencing with "(1)"; sub-sub-subparagraphs shall be lettered in parentheses, commencing with "(A)".
- b. Paragraph labels should be transmitted as written and not spelled out, e.g. A, B, C, 1, 2, 3 not Alpha, Bravo, Charlie, One, Two, Three.
- c. Where a message consists of only one paragraph, the paragraph should not be numbered.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

d. **DRAFTERS NAME** (and signature if required). Data identifying the drafter is entered in this block.

354. **RELEASING OFFICERS SIGNATURE**. The written signature of the individual authorized to release the message is to be entered in this block. All military messages must be released by an authorized releasing official designated by the respective Command, Organization or Activity.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

Classification	<input type="text"/>	Serial No.	<input type="text"/>
Descriptor/Special Handling Caveat	<input type="text"/>	Store No.	<input type="text"/>

Line 1				Routed by
2				Time
3	DE			Prepared by
4				Time
Precedence: Action				/Info
				For single transmission
DTG:		Z	Month	Year
				Transmitted to
Routing Indicators	From:			Channel No/system
	To:			Time
				Operator
	Info:			Message Instructions
				Classification
				SIC(s)

Internal Distribution:					
Page 1 of <input type="text"/> pages			Releasing Officer's Signature		
File No. or Reference <input type="text"/>			<input type="text"/>		
Drafters Rank/Grade and Name <input type="text"/>			Name (BLOCK capitals) <input type="text"/>		
Branch and Telephone No. <input type="text"/>			Rank/Grade <input type="text"/>		
for OPR's Use	Filing time/TOR	System	Operator	Final Check Op	Branch and Telephone No. <input type="text"/>
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	

Descriptor/Special Handling Caveat	<input type="text"/>
Classification	<input type="text"/>

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

DETERMINING SECURITY CLASSIFICATION

355. Responsibility. It is the responsibility of the releasing officer to ensure that the proper classification is indicated on the message before it is forwarded for transmission. A reply or reference to a classified message may be assigned a lower classification when the content of the text of the message containing the reply or reference permits.

356. Security Classification:

- a. Messages are to be classified TOP SECRET, SECRET, CONFIDENTIAL or RESTRICTED whenever their content falls within the definition set forth in appropriate national regulations. Messages bearing no security classification should be marked UNCLASSIFIED (abbreviated to UNCLAS). Messages bearing NATO classifications will bear NATO SECRET, NATO CONFIDENTIAL, NATO RESTRICTED markings whereas unclassified messages will bear NATO UNCLAS.
- b. The primary purpose of security classification is to impose restrictions on the handling of messages and dissemination of the information contained within. Before a message is marked as UNCLAS, the releasing official must ensure that no aspect of the message has any security implications.

357. Unclassified References to Classified Messages: The rules governing the use of an unclassified message, which refers to a classified message, are:

- a. In peace or war, a national, service or command authority may prohibit unclassified messages which refer to a classified message (but see para 36Ø below). Authorities instituting such a prohibition are responsible for notifying other authorities who may be concerned.
- b. If no such prohibition is in force, unclassified messages, which refer to a classified message by its date-time group or other identification, are allowed when the classified message under reference:
 - (1) States that paraphrasing is not required; or
 - (2) Does not bear a paraphrase statement.

358. An unclassified message, which refers to a classified message, is never allowed when the classified message under reference bears either:

- a. A statement indicating that paraphrasing is required; or
- b. A statement indicating that the message is a paraphrase.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

359. An unclassified message, which refers to a classified message by its date-time group, is never allowed when the classified message under reference bears a marking indicating that no unclassified reply or reference is permitted if the date-time group is quoted.

360. As an exception to the above rules both in war and peace, the commanding officer is authorized, in tactical situations, to permit unclassified replies or references to any classified message when it is necessary for operational reasons. In such cases each message, which would violate the above conditions, must be authorized separately by the Commanding officer or his authorized representative. Such messages should be dealt with according to the rules in paragraph 363.

NOTE: Instructions regarding the application of the markings (referred to above) to copies of decrypted messages are given in general or service cryptographic instructions.

CLASSIFIED MESSAGES TRANSMITTED IN PLAIN LANGUAGE

361. In simulated or actual tactical operations, when speed of delivery is so essential that time cannot be spared for encryption and the transmitted information cannot be acted upon by the enemy in time to influence current operations, messages of any classification except TOP SECRET may be transmitted in the clear over any circuit. In such cases, transmission in the clear must be authorized separately for each message by the Commanding officer or his authorized representative. Linkage to previously encrypted messages should be avoided.

362. These messages will not be given a security classification but will be identified by the word CLEAR transmitted at the beginning of the text indicating that the message contains classified information and has been authorized to be sent in the clear. Original copies marked CLEAR shall be handled as CONFIDENTIAL material. The message, when received, shall be marked with the phrase "RECEIVED IN THE CLEAR, TREAT AS CONFIDENTIAL" prior to delivery to the addressee. Messages so marked shall not be re-addressed; however should the addressee desire the information to be forwarded to another addressee, a new message shall be originated, appropriately classified and handled as the situation dictates.

363. The above rule does not apply to messages, which are not normally encrypted, such as enemy contact reports.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

DETERMINING PRECEDENCE

364. Responsibility – The assignment of precedence to a message is the responsibility of the releasing officer. The importance of judicious assignment (avoidance of the use of a higher precedence than necessary) cannot be over emphasized. The precedence assigned to a message by the releasing officer does not necessarily indicate the action to be taken by the addressee or the precedence designation, which should be assigned to the reply. If necessary, such instructions will be included in the text. Misuse of the precedence system defeats its purpose; i.e. to ensure rapid handling of message traffic over available facilities with a minimum of backlog and delay resulting from competing priorities. The factors to be considered in each instance are:

- a. The urgency of the subject matter. Importance does not necessarily imply urgency. The releasing officer should consider the urgency of the subject matter as it relates to the addressee(s).
- b. Consideration should be given to the time difference between widely separate geographical areas, e.g. Eastern United States is six hours behind Central Europe. The releasing officer should be aware that all but ROUTINE precedence messages are delivered to the addressee immediately upon receipt by the communications centre, regardless of the hour.

365. Significance – The four precedence categories are used to specify the relative order in which messages are to be handled. These categories indicate:

- a. To the originator: The required speed of delivery of the message to the addressee.
- b. To communication personnel: The relative order of message processing, transmission and delivery.
- c. To the addressee: The relative order in which to note the message.

366. Time Objective – Message originators do not normally select the means of communication to be used. This is a function of the communication service throughout the entire route of the message. Nevertheless, message originators should realize that various factors could, singly or collectively, add to the time required to complete the delivery of a message. Among these are:

- a. The length of the message.
- b. The overall message traffic load.
- c. Encryption and decryption requirements.
- d. The means of communications i.e. automatic or manual and delivery arrangements at terminals.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

- e. The number of relays required as opposed to point-to-point communications.
- f. Poor transmission conditions.
- g. Communications staffing problems.

367. Recognizing that these factors may affect the speed of service of any given message, the following general time objectives apply:

Precedence Category	Time Objective
FLASH	Not fixed. Handled as fast as humanly possible with a time objective of less than 1Ø minutes.
IMMEDIATE	3Ø Minutes to 1 Hour.
PRIORITY	1 to 6 Hours.
ROUTINE	3 Hours to the start of business on the next working day
Note 1: The objectives include the overall handling time from the time accepted by the communications facility at the point of origin to delivery to the addressee at the point of destination.	
Note 2: Time objectives for Formal Messages originated or in transit within the X.4ØØ domain are contained within the current edition of ACP 123.	

DUAL PRECEDENCE

368. Multiple address messages, including those addressed even to a single Address Indicating Group (AIG) having both action and information addressees, may either be assigned a single precedence in which case it indicates the precedence for all addressees, or they may be assigned two precedence's, one for all action addressees and a lower precedence for all information addressees. It is most important that the assignment of dual precedence be carefully considered on all messages with an information addressee(s) when other than the lowest precedence is assigned to the action addressee(s).

369. In communications channels, sufficient information is to be included in the heading of each DUAL precedence message to permit the communications centres, crypto centres or relay stations, having the capability to segregate messages, to forward the message to the appropriate addressee at the required precedence. Additionally:

- a. DUAL precedence is indicated in the headings of PLAINDRESS messages by including the two precedence prosigns in the preamble and indicating the status (action or information) of the addressees in the address component.
- b. In CODRESS and AIG addressed messages the two precedence prosigns are included in the preamble except when a CODRESS message is routed to a crypto guard, which serves all the addressees. In CODRESS messages, the address component of the message heading is not used. In AIG messages, there is no indication in the address component of the addressee status (action or

UNCLASSIFIED

ACP 121(I)

information). When necessary, handling instructions are included in the transmission instructions by the use of an operating signal to indicate the address designator(s) which is/are to handle the message at the lower precedence.

- c. For procedural details, see appropriate ACPs listed in [Chapter 2, Section V](#).

ASSIGNMENT OF PRECEDENCE

370. A message must be assigned a precedence equal to or higher than that required to ensure that all addressees receive it within the time objectives indicated in paragraph 367. Appropriate use of the various precedence categories is to be determined by consideration of the following table:

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

DESIGNATION	PRECEDENCE PROSIGN	DEFINITIONS, USE AND EXAMPLES	HANDLING BY COMMUNICATIONS PERSONNEL
FLASH	Z	<p>FLASH precedence is reserved for initial enemy contact messages or operational combat messages of extreme urgency. Brevity is mandatory.</p> <p><u>EXAMPLES:</u></p> <p>(1) Initial enemy contact reports.</p> <p>(2) Messages recalling or diverting friendly aircraft about to bomb targets unexpectedly occupied by friendly forces; or messages taking emergency action to prevent conflict between friendly forces.</p> <p>(3) Warning of imminent large scale attacks.</p> <p>(4) Extremely urgent intelligence messages.</p> <p>(5) Messages containing major strategic decisions of great urgency.</p>	<p>FLASH messages will be hand-carried, processed, transmitted and delivered in the order received and ahead of all other messages. Messages of lower precedence will be interrupted on all circuits involved until handling of the FLASH message is completed.</p> <p>NOTE: In automatic systems where automatic interruption of lower precedence messages is not provided, adequate procedures are to be prescribed to ensure that FLASH messages are not delayed.</p>
IMMEDIATE	O	<p>IMMEDIATE is the precedence reserved for very urgent messages relating to situations, which gravely affect the security of national/allied forces or populace.</p> <p><u>EXAMPLES:</u></p> <p>(1) Amplifying reports of initial enemy contact.</p> <p>(2) Reports of unusual major movements of military forces of foreign powers in times of peace or strained relations.</p> <p>(3) Messages, which report enemy, counterattack which request or cancel additional support.</p> <p>(4) Attack orders to commit a force in reserve without delay.</p>	<p>IMMEDIATE messages are processed, transmitted and delivered in the order received and ahead of all messages of lower precedence. If possible, messages of lower precedence will be interrupted on all circuits involved until the handling of the IMMEDIATE messages is completed.</p> <p>NOTE: If automatic interruption of lower precedent messages is not provided, adequate procedures are to be prescribed to ensure that IMMEDIATE messages are not delayed.</p>

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

DESIGNATION	PRECEDENCE PROSIGN	DEFINITIONS, USE AND EXAMPLES	HANDLING BY COMMUNICATIONS PERSONNEL
IMMEDIATE (Cont)	O	<p>(5) Messages concerning logistical support of special weapons when essential to sustain operations.</p> <p>(6) Reports of widespread civil disturbance.</p> <p>(7) Reports of warning of grave natural disaster (earthquake, flood storm, etc)</p> <p>(8) Request for, or directions concerning, distress assistance.</p> <p>(9) Urgent intelligence messages.</p> <p>(10) Aircraft movement reports (e.g., messages relating to requests for news of aircraft in flight, flight plans, cancellation messages to prevent unnecessary search/rescue actions).</p>	
PRIORITY	P	<p>PRIORITY is the precedence reserved for messages concerning the conduct of operations in progress and for other important and urgent matters when ROUTINE precedence will not suffice.</p> <p><u>EXAMPLES:</u></p> <p>(1) Situation reports on position of front where attack is impending or where fire or air support will soon be placed.</p> <p>(2) Orders to aircraft formations or units to coincide with ground or naval operations.</p> <p>(3) Messages concerning immediate movement of naval, air, and ground forces.</p>	<p>Processed, transmitted, delivered in the order received and ahead of all messages of ROUTINE precedence.</p> <p>(1) ROUTINE messages being transmitted should not be interrupted unless they are very long and a very substantial portion remains to be transmitted.</p> <p>(2) PRIORITY messages should be delivered immediately upon receipt at the addressee destination.</p> <p>(3) When commercial civil refile is required, the commercial precedence that most nearly corresponds with PRIORITY shall be used</p>

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

DESIGNATION	PRECEDENCE PROSIGN	DEFINITIONS, USE AND EXAMPLES	HANDLING BY COMMUNICATIONS PERSONNEL
ROUTINE	R	<p>ROUTINE is the precedence to be used for all types of messages, which justify transmission by rapid means but are not of sufficient urgency and importance to require a higher precedence.</p> <p><u>EXAMPLES:</u></p> <p>(1) Messages concerning normal peace time military operations, programs and projects.</p> <p>(2) Messages concerning stabilised tactical operations.</p> <p>(3) Operational plans concerning projected operations.</p> <p>(4) Periodic or consolidated intelligence reports.</p> <p>(5) Troop movement messages, except when time factors dictate use of a higher precedence.</p> <p>(6) Supply and equipment requisition and movement messages, except when time factors dictate use of a higher precedence.</p> <p>(7) Administrative, logistics and personnel matters.</p>	<p>Processed, transmitted, and delivered in the order received and after all messages of a higher precedence, consistent with the following instructions.</p> <p>(1) When commercial/civil refile is required, the lowest commercial precedence shall be used.</p> <p>(2) ROUTINE messages received during non-duty hours at the addressee destination may be held for morning delivery unless specifically prohibited by the command/formation concerned.</p>

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

SEQUENCE OF TEXTUAL MATTERS

371. The security classification of a message will always be the first word(s) of the text, except that the security classification may be preceded, when necessary, by appropriate international alliance prefix/designations; e.g. NATO.

372. Any special handling instructions, references, etc, must all appear as near to the beginning of the text as possible, but in all cases after the security classification.

373. Designations which affect security and/or handling should be placed in front of the others, but otherwise relative positions may vary depending on whether special handling instructions are applicable or not, and the nature of those instructions; and on national, service or command instructions for the handling of messages such as those designated EXCLUSIVE or classified TOP SECRET.

374. In the interest of standardization, the following guide should be used by message originators and communications personnel in organizing the above-mentioned elements of the message text. Where elements listed do not appear in a message or are not listed, the order of appearance is adjusted accordingly. The elements are:

- a. Security classification, the abbreviation UNCLAS, or the word CLEAR.
- b. Special handling designations used to indicate requirements for controlled handling by individuals who have either been specially cleared or have authorized access to the message contents; e.g. CRYPTOSECURITY, EXCLUSIVE, (...*....) EYES ONLY.
- c. (Note: (...*....) – Indicates the identity of a nation(s), activity(ies) or international alliance. Use of the term (...*....) EYES ONLY indicates that the message contains information that is not releasable outside of the nation(s), activity(ies) or international alliance.)
- d. Subject Indicator Code (SIC) or equivalent systems, e.g. Subject Indicator Group (SIG) or Delivery Indicator Group (DIG). These are required by some automated message distribution systems.
- e. True Date-Time Group (TDTG), where applicable, and originator's title or reference number if used.
- f. Code word, code name or nickname indicating that special measures must be taken to ensure rapid delivery. May be used with specific operations, projects or exercises.

EXAMPLE:

OPERATION FOSTER PAUL (Meaning – Specific Operation)

UNCLASSIFIED

ACP 121(I)

PROJECT CHIPPA (Meaning – Specific Project)

EXERCISE SHELTON (Meaning – Specific Exercise)

375. Internal handling instructions, other than the type described in paragraph 372 above.

376. Subject line, concise and preferably untitled; i.e. the word SUBJECT is not used. The subject line shall be omitted if its use will cause an otherwise unclassified message to be classified, will noticeably increase the length of a short message or if the subject is readily apparent in the first lines of the text.

377. References, preferably untitled (i.e. the word REFERENCE is not used) and, when necessary, separately identified by a letter ([paragraph 332](#)).

378. Remainder of text ([paragraph 353](#)).

SECTION VI**SPECIAL CONSIDERATIONS****ACKNOWLEDGEMENTS**

379. An acknowledgement is a communication indicating that the message to which it refers has been received and the purpose is understood by the addressee.

380. The instruction to ACKNOWLEDGE means “Action addresses are to acknowledge this message (or message indicated), when understood. Electronic silence, if imposed, is not to be broken and the acknowledgement must be sent by any other means which does not violate the communication emission control policy in force.”

381. When the importance of an operational message necessitates an acknowledgement despite electronic silence, the term ACKNOWLEDGE IMMEDIATELY, meaning “Action addressees are to acknowledge this message as soon as it is understood. Electronic silence is to be broken if necessary,” is to be used. Authentication is mandatory for plain language messages, which require the breaking of communication silence.

382. Message acknowledgement will be made only:

- a. When specifically requested by the word(s) ACKNOWLEDGE or ACKNOWLEDGE IMMEDIATELY appearing as the last word(s) of the text.
- b. When requested by a separate message. A separate message is used when the need for an acknowledgement is determined after release of the original message. Service messages are not to be used for this purpose.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

NOTE: On tactical circuits, the operating signal ZEV may be used in the message heading in lieu of either procedure outlined above.

383. Requests to acknowledge a message shall apply to the action addressee(s) only, unless otherwise stated.
384. The acknowledgement of a message, when required, shall be composed as follows:
- a. The word YOUR or the address designator actually used to represent the originator.
 - b. The message reference (Date-Time Group, reference number, etc).
 - c. The word "ACKNOWLEDGED."

EXAMPLE: YOUR 121314Z JAN 11 ACKNOWLEDGED

385. An acknowledgement should not be confused with a reply, but a prompt reply to a message may save a subsequent request for acknowledgement.

CONFIRMATION OF DELIVERY

386. Operating signals ZFF and ZDF are for use by communications personnel to obtain confirmation of message delivery only, not acknowledgement. Confirmation of delivery should not normally be requested. Use of ZFF and ZDF by communications personnel should be limited to those occasions when:

- a. Confirmation of delivery is specifically requested by the releasing officer as a special requirement. In this regard, to preclude overloading of circuits, especially during times of crisis, the operating signal ZFF should be employed only when absolutely essential to operational requirements.
 - b. Relay is requested, and then only when circuit or other conditions indicate that a transmitted message may not reach its destination.
387. The operating signal ZFF shall not be used:
- a. On general messages.
 - b. On other messages having a wide distribution, except for specifically identified addressees from whom confirmation of delivery is required.
 - c. As a matter of policy on all messages originated by a command, agency or individual.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

CANCELLATIONS

388. Cancellation of a message, which has been receipted for, may be accomplished only by the originating authority. This type of cancellation may be in the form of a new message or may be included in a message, which supersedes the one cancelled. A classified message may be cancelled only by another classified message or properly authenticated unclassified message.

389. Cancellations of transmissions may be accomplished by the transmitting station by the use of appropriate operating signals or prosigns. A station cancelling a transmission is responsible for further handling of the contents of the transmission, if such further handling is necessary.

CORRECTIONS

390. Circumstances sometimes arise in which it becomes necessary for the releasing officer to change the substance or phraseology of a message after it has been transmitted. Small changes can usually be made by means of a new message containing corrections to the original message. When the change is lengthy, it is advisable to cancel the original message and originate a new message. Any message requiring alteration before transmission shall not be changed by the communications centre but must be referred back to the releasing officer.

REPETITIONS, CHECKS AND VERIFICATIONS

391. There are three methods available for requesting the retransmission of the whole or part of a message, which has been received.

- a. Repetition. – This is for use between operators when a message has been incorrectly or incompletely received.
- b. Check. – This refers the message back to the crypto centre, which encrypted the message and requires a check on the encryption.
- c. Verification. – This requires the originator to verify the complete message or portions indicated.

READDRESSING MESSAGES

392. Circumstances may arise in which it becomes necessary to readdress a message to authorities not originally included in the address. To accomplish this, co-ordination with the local communications centre is required. If a communications centre file copy is available, only reference to the message need be made. If a communications centre file copy is not available, the individual requesting readdressal must furnish a copy of the message concerned. Unless instructed to do so by the readdressing authority, the communications centre will not inform the original addressees and/or originator of the readdressal. It will always be necessary, on the other hand, to inform the new addressees that the message is being passed to them for action or for information, as appropriate. This can be done by either using PLAINDRESS format or operating

UNCLASSIFIED

ACP 121(I)

signal ZFH and appropriate numeral in the supplementary heading of the readdressed message. Where national service or command instructions prohibit use of the above methods, a separate message is to be sent, containing action/information status, to the new addressees.

Uncontrolled copy when printed

UNCLASSIFIED

UNCLASSIFIED

ACP 121(I)

SECTION VII**REDUCTION OF MESSAGE AND TELEPHONE TRAFFIC IN AN EMERGENCY****REASON FOR REDUCTION AND CONTROL OF TRAFFIC**

393. In an actual or simulated emergency, when it is apparent that communication capacity will be, or is severely overloaded, it may be necessary to drastically reduce message, telephone and e-mail traffic by manual and computer based military message handling systems to ensure prompt handling and transmission of vital messages.

MEANING AND EFFECTS OF MINIMIZE

394. The instructions to reduce traffic will be made by the promulgation of the word MINIMIZE which has the following meaning:

“It is now mandatory that normal message, telephone and e-mail traffic be drastically reduced in order that vital messages connected with the situation indicated shall not be delayed.”

395. Because of its extreme nature and widespread effect, MINIMIZE shall not be imposed indiscriminately nor prematurely. The communications officer is normally in the best position to advise on the necessity of imposing MINIMIZE.

AUTHORITY TO IMPOSE MINIMIZE

396. Authority to impose MINIMIZE is inherent in command and, therefore, is not limited unless denied by appropriate higher authority.

397. MINIMIZE is normally to be confined to the nation, service or command controlled by the imposing authority. If the need for reduction and control of messages originated outside of, but flowing into or through the affected area is apparent or when it becomes apparent, assistance shall be requested through command channels from the national service, ministry or department, of the command, authorized to effect the required reduction and control. Until such assistance has been requested of and directed by the appropriate authority, communications and communications systems controlled by other than the initial imposing authority shall not be affected.

APPLICATION OF MINIMIZE

398. MINIMIZE may be imposed on a worldwide, nation-wide, command or area basis, as appropriate. The message ordering MINIMIZE shall consist of the word MINIMIZE followed by the scope and the reason, if required, and by the duration of its imposition when known. It may also include the type of traffic, communication service or circuits to be MINIMIZED or exempted from MINIMIZE when pertinent. MINIMIZE messages will be classified, or unclassified, in accordance with regulations covering security of information.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

EXAMPLES:

- a. ACO, wishing to impose MINIMIZE within Allied Command Europe (ACE) due to an impending attack, would transmit the following to all echelons of ACE:

MINIMIZE ACE ATTACK IMMINENT.

- b. NATO, wishing to impose MINIMIZE on all NATO forces during a worldwide exercise, would transmit the following message to all NATO forces:

MINIMIZE NATO FORCES WORLDWIDE EXERCISE CAPITO.
CANCEL MINIMIZE AT 192359Z JAN 11

- c. The United Kingdom, wishing to MINIMIZE traffic to RN and RAF units in the Plymouth area, due to a search being conducted in that area for a missing submarine, would transmit the following message to all RN and RAF units:

MINIMIZE RN AND RAF PLYMOUTH SUBMISS.

- d. Canadian Army Headquarters, wishing to impose MINIMIZE on all Canadian units due to an Army-wide operation, would transmit the following message to all Canadian Army Units:

MINIMIZE CANADIAN ARMY OPERATION CARMEL READY.

- e. France, wishing to impose MINIMIZE on traffic to French forces in the Indian Ocean area, due to an earthquake occurring in that area, would transmit the following message to all French forces:

MINIMIZE FRENCH FORCES INDIAN OCEAN AREA EARTHQUAKE.

CONTROL OF MESSAGE AND TELEPHONE TRAFFIC DURING MINIMIZE

399. Instructions to originators/releasing officers: Originators/releasing officers affected by the imposition of MINIMIZE shall apply the following criteria before releasing any messages or telephone calls during the MINIMIZE period (and e-mail traffic if ordered in the MINIMIZE signal):

- a. Will immediate operations be adversely affected if the message or telephone call is not made?
- b. Is the message or call of vital importance or within a category specifically exempted from MINIMIZE by the imposing authority?
- c. Only messages or calls which pass this test are authorized when MINIMIZE is in effect and the originator/releasing officer is to add the words "NOT

UNCLASSIFIED

ACP 121(I)

WITHSTANDING MINIMIZE” underneath his signature before forwarding the message to the communications centre for transmission.

- d. Information which does not satisfy the above criteria but the transmission is necessary, shall be forwarded by mail, courier etc. It is not to be forwarded to the communications centre or held back pending the cancellation of MINIMIZE as either of these actions could seriously overload communication networks.

3100. Instructions to Communications Centres: Authorities controlling communications centres, networks, etc, may issue instructions to cover the action to be taken on receipt of MINIMIZE in order to cause an immediate reduction in the traffic already in the communications system and on hand for transmission. Such instructions may provide for the screening of traffic on hand, referral back to the releasing officer, and transmission by mail, etc, as appropriate. In certain circumstances, these instructions may include the screening of messages already in transmission channels. Communications centres are to ensure that any messages handed in for transmission after imposition of MINIMIZE are to bear the words NOT WITHSTANDING MINIMIZE underneath the releasing officers signature before accepting the message for onward relay.

CANCELLATION OR MODIFICATION OF MINIMIZE

3101. MINIMIZE may be cancelled or modified only by the authority that ordered it, or by a higher authority in the form of “CANCEL MINIMIZE” followed by the scope of the cancellation. The effective date-time may also be included. If the duration of the MINIMIZE is known when it is imposed, the cancellation may be included in the original message.

3102. If an additional or new MINIMIZE requirement should arise during any MINIMIZE condition, the authority having knowledge of the new development should refer the issue for resolution to the senior authority concerned.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

SECTION VIII

INSTRUCTIONS ON MAIL AND EXTERNAL MESSENGER DELIVERY BY COMMUNICATION CENTRES

3103. All copies of messages forwarded by mail or external messenger will bear the communication centre stamp or the signature of a responsible person.

3104. The envelope containing copies of messages forwarded by mail will be addressed to the command, authority or activity. To meet separate nation, service or command instructions and when appropriate, the envelope will be marked "deliver to communications centre."

3105. All copies of messages forwarded by mail or external messenger will bear the date-time group, and, where applicable, the originators reference number or general message serial number.

3106. When a classified message is to be sent to selected addressees in plain language by mail or external messenger as well as to other addressees in encrypted form, the copies sent by mail shall be processed in accordance with the rules that govern the processing of classified plain language copies at addressee crypto centres and shall bear all appropriate notations before mailing.

Uncontrolled copy when printed

UNCLASSIFIED

ANNEX A TO
CHAPTER 3 TO
ACP 121(I)

TABLE OF TIME ZONES, ZONE DESCRIPTION AND DESIGNATION LETTERS

ZONE DEGREES LONGITUDE				DESCRIPTION	DESIGNATION LETTERS
7 ½	W	to	7 ½ E	Ø	Z
7 ½	E	to	22 ½ E	-1	A
22 ½	E	to	37 ½ E	-2	B
37 ½	E	to	52 ½ E	-3	C
52 ½	E	to	67 ½ E	-4	D
67 ½	E	to	82 ½ E	-5	E
82 ½	E	to	97 ½ E	-6	F
97 ½	E	to	112 ½ E	-7	G
112 ½	E	to	127 ½ E	-8	H
127 ½	E	to	142 ½ E	-9	I
142 ½	E	to	157 ½ E	-1Ø	K
157 ½	E	to	172 ½ E	-11	L
172 ½	E	to	18Ø	-12	M
7 ½	W	to	22 ½ W	+1	N*
22 ½	W	to	37 ½ W	+2	O
37 ½	W	to	52 ½ W	+3	P
52 ½	W	to	67 ½ W	+4	Q
67 ½	W	to	82 ½ W	+5	R
82 ½	W	to	97 ½ W	+6	S
97 ½	W	to	112 ½ W	+7	T
112 ½	W	to	127 ½ W	+8	U
127 ½	W	to	142 ½ W	+9	V
142 ½	W	to	157 ½ W	+1Ø	W
157 ½	W	to	172 ½ W	+11	X
172 ½	W	to	18Ø	+12	Y

* Letter N is also used to designate zone -13; this is to provide for a ship in zone -12 keeping Daylight Saving Time.

NOTES:

1. Reference should be made to the time zone chart on page A-9 in order to learn the exact zone boundaries, since they sometimes deviate slightly to accommodate national boundaries, etc.
2. GMT is indicated by the suffix Z.
3. For time midway between zones, both letters are used.
4. The suffix indicates the correction (for description, see table) which must be applied to the time as expressed in order to convert to GMT.

UNCLASSIFIED

ACP 121(I)

Example:

Washington, DC, is in longitude zone 67 ½ degrees to 82 ½ degrees west. If that city keeps normal time zone (Zone Description +5) the date-time group suffix will be R. To convert to GMT, add 5 hours to the indicated time. If that city keeps Daylight Saving Time (Zone Description +4), the suffix will be Q. To convert to GMT, add 4 hours to the indicated time.

EXPLANATION OF THE CONVERSION CHART

1 The Conversion Chart on page 3A-7 is composed of 25 vertical columns, 24 of which represent the difference in time around the earth's surface. The 25th column is due to duplication of the extreme left and right columns. Each column head contains four area indicators as follows:

- a. **CO-ORDINATES.** – 24 equidistant divisions of the earth's surface based on coordinates of Longitude East and/or West. Co-ordinates divisions are straight lines from pole to pole and will not, in most cases, conform to time zone delineation's over land areas. They may, however, be used to determine time zones of islands and ocean areas. Each hour of time is thus related to approximately 15 degrees of longitude.
- b. **TIME ZONE NUMBERING SYSTEM.** – 25 time zone areas numbered from Ø through 24 (Ø and 24 being actually the same zone) beginning with zone Ø at the International Date Line and extending East circumscribing the earth's surface to the 24 zone, or Ø zone, again. Certain publications and maps use this system for identifying the 24 time zones. For such publications, the conversion chart may be used for computing time or time differences.
- c. **TIME ZONE LETTERING SYSTEM.** – 25 time zone areas identified by use of letters. Beginning with the letter "A" at zone 13 (7° 30' E – 22° 30' E), the letters extend eastward through "M" (172° 30' E – 180° E-W). Zone number 12 (7° 30' E – 7° 30' W) is designated "Z." The letter system then from "Z," beginning with "N" (7° 30' W – 22° 30' W), extends westward through "Y" (172° 30' W – 180° E-W) at the Ø zone. The letter "J" is omitted. The conversion chart can thus be used when maps or publications use the lettering system to identify the time zones.
- d. **THE PLUS AND MINUS SYSTEM** – the plus and minus system, probably the most commonly used, begins at the zone through which the zero meridian passes (bisecting Greenwich, England, thus "Greenwich Civil Time, Greenwich Mean Time") the boundaries of which are 7° 30' E and 7° 30' W. This zone is designated Zero. Minus zones, beginning with -1, extend eastward through -12. The plus zones, beginning with +1, extend westward through +12. Thus, -12 and +12 are the same time zone.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

2 Each of the vertical columns contains 25 blocks, the top and bottom blocks being duplicated in each column. These blocks represent the 24 hours of a complete day in any one time zone. Each block contains two entries of figures as follows:

- a. The upper figure in each block represents a certain hour of the day (for that particular time zone) in local time or actual time, expressed in AM or PM hours.
- b. The lower figure in each block represents the comparative time in the Ø zone, Greenwich Mean Time or Greenwich Civil Time. This time is sometimes referred to as “GMT” or “GCT”, but more frequently, is known as “Zulu” time.

3 The upper left and lower right portions of the chart are shaded. It will be noted that the shaded portions are based on the “stair-step” line associated with the 12:ØØ midnight block in each column. This line, separating the light and shaded portions, is the NEXT DAY – PREVIOUS DAY line. The shaded portions are to draw attention to the fact that this line has been crossed and that hours in the shaded portion are those of a different day. When crossing the NEXT DAY – PREVIOUS DAY line tracing laterally from left to right, all hours after CROSSING are of the next day, or add one day to the time difference. When crossing the NEXT DAY – PREVIOUS DAY line tracing from right to left, all hours after crossing are of the previous day, or subtract one day from the time difference.

USE OF THE CONVERSION CHART

4 TO DETERMINE THE “Z” TIME – If the time involved is given in AM/PM hours and the corresponding “Z” time is sought, first determine the time zone of the locality using the AM/PM time. In the appropriate zone column, trace downward until the AM/PM hour in question is found. It will be the upper figure in a certain block. The lower figure in that same block will be the corresponding “Z” time.

5 TO DETERMINE AM/PM TIME – If the hour is given in “Z” time and the corresponding AM/PM time is sought, first locate the time zone of the place using “Z” time and follow the same procedure outlined in paragraph 4., foregoing, finding the “Z” time in question. The upper figure in that block will be the AM/PM hour sought.

6 TO COMPUTE DIFFERENCE IN “Z” TIME – To compute differences in “Z” times, only the “Z” times need be compared and the difference noted. The time zone is immaterial as any one “Z” time is the same in all time zones.

7 TO COMPUTE DIFFERENCES IN AM/PM TIME – If two AM/PM hours are given of two different localities, proceed as follows:

- a. Start with whichever of the two time zones determined is to the left of the other.
- b. Trace down this column until the first AM/PM hour is located.
- c. Trace a lateral line (formed by the AM/PM hours) to the right until the time zone column representing the second locality in question is found.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

- d. Note the AM/PM hour at the point of intersection of the lateral line and vertical (time zone) column.
- e. Trace upward or downward in this column until the second hour in question is reached.
- f. Determine the difference between the two hours (4) and (5).

8 TO COMPUTE DIFFERENCES IN AM/PM AND “Z” TIMES – To compare the two times for a result in “Z” time, convert the AM/PM time given to “Z” time as per subparagraph a. and determine the difference. To compare the two times for a result in AM/PM time, convert the “Z” time given to AM/PM time as per subparagraph b. and determining the time difference as per subparagraph d..

9 GENERAL – Certain cities are listed in alphabetical order for quickly determining the appropriate time zone when not known. It will be noted that some cities are shown in hours and minutes. Such portions of hours should be considered in computing time differences. Those locations in which no legal time has been adopted, or where no legal time is kept, are arbitrarily assigned time zones based on their location in relation to the nearest, or surrounding areas listing a legal time.

10 CORRECTIONS – Each nation is responsible for maintaining a current list of cities located within its respective borders. The Manuscript Agency will be responsible for the correct listing of those entries when the countries concerned do not hold the publication.

ALPHABETICAL LIST OF CITIES WITH TIME ZONES (P-Plus, M-Minus)

CITY	COUNTRY	PLUS OR MINUS
AMSTERDAM	NETHERLANDS	M-1
ANCHORAGE	ALASKA, USA	P-1Ø
ASUNCION	PARAGUAY	P-4
ATHENS	GREECE	M-2
BELFAST	NORTHERN IRELAND	Ø
BERLIN	GERMANY	M-1
BERN	SWITZERLAND	M-1
BOGOTA	COLOMBIA	P-5
BRASILIA	BRAZIL	P-3
BRISBANE	AUSTRALIA	M-1Ø
BUENOS AIRES	ARGENTINA	P-4
CALCUTTA	INDIA	M-6
CHICAGO	ILLINOIS, USA	P-6
COPENHAGEN	DENMARK	M-1
DELHI	INDIA	M-5
DENVER	COLORADO, USA	P-7
DHAKA	BANGLADESH	M-6
DJAKARTA	INDONESIA	M-7
DUBLIN	EIRE	Ø
EDINBURGH	SCOTLAND	Ø
GODTHAB	GREENLAND	P-3
GOOSE BAY	LABRADOR, CANADA	P-4

UNCLASSIFIED

ACP 121(I)

CITY	COUNTRY	PLUS OR MINUS
THE HAGUE	NETHERLANDS	M-1
HALIFAX	NOVA SCOTIA, CANADA	P-4
HAMBURG	GERMANY	M-1
HONOLULU	HAWAII, USA	P-1Ø
ISTANBUL	TURKEY	M-2
JUNEAU	ALASKA, USA	P-9
LAHORE	PAKISTAN	M-5
LA PAZ	BOLIVIA	P-4
LIMA	PERU	P-5
LISBON	PORTUGAL	Ø
LONDON	ENGLAND	Ø
LOS ANGELES	CALIFORNIA, USA	P-8
MADRID	SPAIN	M-1
MANAGUA	NICARAGUA	P-6
MANILA	PHILIPPINES REPUBLIC	M-8
MARSEILLES	FRANCE	M-1
MELBOURNE	AUSTRALIA	M-1Ø
MEXICO CITY	MEXICO	P-6
MILAN	ITALY	M-1
MONTREAL	QUEBEC, CANADA	P-5
MUNICH	GERMANY	M-1
NEW YORK	NEW YORK, USA	P-5
NOME	ALASKA, USA	P-11
OSAKA	JAPAN	M-9
OSLO	NORWAY	M-1
OTTAWA	ONTARIO, CANADA	P-5
PARIS	FRANCE	M-1
PERTH	AUSTRALIA	M-8
PHILADELPHIA	PENNSYLVANIA, USA	P-5
QUITO	ECUADOR	P-5
REYKJAVIK	ICELAND	P-1
RIO DE JANEIRO	BRAZIL	P-3
ROME	ITALY	M-1
ST. JOHN'S	NEWFOUNDLAND, CANADA	P-3:3Ø
ST. LOUIS	MISSOURI, USA	P-6
SAN FRANCISCO	CALIFORNIA, USA	P-8
SAN JOSE	COSTA RICA	P-6
SAN JUAN	PUERTO RICO	P-4
SANTIAGO	CHILE	P-5
SAO PAULO	BRAZIL	P-3
SEATTLE	WASHINGTON, USA	P-8
SEOUL	KOREA	M-9
STOCKHOLM	SWEDEN	M-1
SYDNEY	AUSTRALIA	M-1Ø
TEHRAN	IRAN	M-3
TOKYO	JAPAN	M-9
TORONTO	ONTARIO, CANADA	P-5
VANCOUVER	BRITISH COLUMBIA, CANADA	P-8
VERACRUZ	MEXICO	P-6
WASHINGTON, DC	USA	P-5
WELLINGTON	NEW ZEALAND	P-12, M-12
WINNIPEG	MANITOBA, CANADA	P-6

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

CHAPTER 4**SPECTRUM MANAGEMENT****PURPOSE**

401. The purpose of this chapter is to give general guidance on radio frequency assignment processes and the associated problem of interference.

BACKGROUND

402. Refer to ACP 19Ø, Chapter 2, Background to Spectrum Management.

SPECTRUM CONTROL CONCEPTS

403. Refer to ACP 19Ø, Chapter 3, Military Spectrum Control Concepts.

RESPONSIBILITIES IN OPERATIONS

404. Refer to ACP 19Ø, Chapter 4, Spectrum Management Responsibilities in Operations.

SPECTRUM MANAGEMENT PROCESS

405. Refer to ACP 19Ø, Chapter 5, Spectrum Management – The Process.

INTERFERENCE RESOLUTION

406. Harmful interference is any emission, radiation or induction, which endangers the functioning of a radio navigation service or of other safety services or seriously degrades, obstructs or repeatedly interrupts a radio communication service operating in accordance with international regulations.

407. Within the congested portions of the frequency spectrum, interference is to be expected and often must be tolerated. Assignment of replacement frequencies should be considered when other efforts at interference reduction are impracticable.

408. When harmful interference occurs, action should be taken in the following order:

- a. Determine the source, if possible.
- b. If the source is local, endeavour to reduce the interference or eliminate by direct action.
- c. If local action is impractical or unsuccessful, report the circumstances to higher authority, in accordance with instructions issued by the theatre commander. The report should include the following information:

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

REPORT OF HARMFUL INTERFERENCE

Station causing interference:

- A. Name, Callsign or other identification. (If the Station can be identified the possibility of eliminating the interference is greatly increased.)
- B. Frequency Measured. Date and Time.
- C. Type of emission and type of traffic being transmitted.
- D. Measured bandwidth of interfering signal. (Provide lowest and highest frequencies. Indicate model of equipment used for measurement.)
- E. Signal strength. (If field strength meter is not available use scale 1 to 5.)
- F. Nature or severity of interference. (Indicate severity as a percentage of copy (or intelligibility) lost due to interference.)
- G. Observed Polarization –i.e. is your aerial horizontal or vertical.

Transmitter station being interfered with:

- H. Name, Callsign or name of command.
- I. Frequency Assigned.
- J. Frequency Measured.
- K. Type of emission and type of traffic or signal being transmitted.
- L. Measured bandwidth.
- M. Signal strength.
- N. Location/position/area.
- O. Location of the facility, which made the above measurements.

Receiving station experiencing interference:

- P. Name, Callsign of station.
- Q. Location. Fixed station – indicate nearest major city and state or country. Mobile station – indicate co-ordinates in degrees of latitude and longitude.
- R. DF fix or bearing of station causing interference, if available.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

S. Date and time that interference commenced and duration in minutes.

(Example: 251003Z(22), 261130Z(5).)

T. Polarization of the receiving antenna or observed polarization –i.e. is your aerial horizontal or vertical.

U. Requested action to alleviate the interference and any additional remarks considered useful.

NOTE: An “X” will be indicated after any of the above letters if no information on this particular item is reported.

INFORMATION EXCHANGE

409. Refer to ACP 190, Chapter 7, Information Exchange.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

CHAPTER 5**CALL AND ADDRESS COMPONENTS OF MESSAGE HEADINGS****SECTION I****PURPOSE**

501. The purpose of this chapter is to give general guidance on the various call and address components of message headings and the manner in which they are used for station calling and addressing, routing and delivery of messages. Any combination of characters or pronounceable words designated for use in message headings to identify a command, authority, unit or communications facility, or to assist in the transmission and delivery of messages, may be classed as a station or address designator.

STATION AND ADDRESS DESIGNATORS

502. Station and address designators encompass four categories, namely: call signs, address groups, routing indicators and plain language address.

503. Call signs and Address Groups. Call signs and address groups consist of many different types as listed below. To avoid confusion, when using the term call sign or address group in other than a general sense, it should be qualified by referring to the specific type of calls sign or address group involved

- a. Call signs (which may be individual or collective):
 - (1) Indefinite.
 - (2) International.
 - (3) Net.
 - (4) Tactical.
 - (5) Visual.
 - (6) Voice.
 - (7) Signal letters of ships and signal letters or identification numbers of aircraft when used as international call signs.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

b. Address groups (which may be individual or collective):

- (1) Conjunctive.
- (2) Geographical.
- (3) Address Indicating Groups (AIGs).
- (4) Special Operating Groups (SOGs).

504. Routing Indicators. Routing indicators consist of two types i.e. worldwide and theatre.

505. Plain Language Address (PLA)/Signal Message Address (SMA). PLAs/SMAs consist of the official title, short title or abbreviation of the command, organization or formation originating the message or being addressed in the message. PLAs/SMAs have the following constraints:

- a. May not exceed 55 characters including spaces.
- b. May not contain punctuation other than a hyphen with the exception that a full stop/period may be used in conjunction with Task PLAs/SMAs e.g. CTU.123.4.1 or CTG 123.4 etc.
- c. Are terminated by two oblique strokes (//) or by a new line.
- d. A PLA/SMA terminated by two oblique strokes followed by office codes that require a continuation line will have that continuation line indented 3 to 5 spaces and the office code field terminated by two oblique strokes (//) or by a new line.

506. Definitions. Definitions of the above categories and specific types are contained in ACP 167.

507. Associated Publications. The ACPs associated with the use of call signs and address groups are included in the list of publications contained in Chapter 2 Section V.

SECTION II**USE OF STATION AND ADDRESS DESIGNATORS****GENERAL**

508. Call signs and address groups are used in lieu of plain language for brevity purposes. Both call signs and address groups may become part of a plan for obtaining transmission security.

509. Call signs, address groups and plain language designators may be used in transmission instructions and in the address component of either encrypted or unencrypted messages.

UNCLASSIFIED

ACP 121(I)

Restrictions on the use of plain language station and address designators are given in [paragraph 530](#).

510. When used for transmission security, call signs and address groups are changed periodically so that an activity is not continuously associated with the same call sign or address group. This may be accomplished through the use of systematic rotations or through the process of encryption ([paragraph 561](#)).

511. When secure call signs/address groups are used, precautions must be taken to prevent:

- a. Linkage i.e. association of the new call sign/address group of an activity with the old call sign/address group or the association of two different call signs/address groups of the same activity.
- b. Compromise i.e. the identification of the activity using a secure call sign/address group.

512. Secure call signs/address groups may be mixed with insecure call signs/address groups in the same heading of encrypted or unencrypted messages, provided linkage or compromise will not result.

513. When messages containing secure call signs/address groups are to be readdressed and retransmitted in their original form, the original secure address must not be altered. The secure call signs/address groups used in the supplementary heading will be based on the external date-time group of the original message.

USE OF CALL SIGNS

514. Call signs are used primarily for establishing and maintaining communications. Call signs may also be used as address designators when the call sign indicates the addressee or originator.

515. The use of call signs in message texts should be avoided, except in procedure and service messages. ([See paragraph 562b for use when call sign encryption is in effect.](#))

516. Indefinite call signs are used by warships and merchant vessels when transmitting CODRESS messages or other messages requiring security of origination to shore radio stations. Indefinite call signs are also used in the call when transmitting via broadcast method to ships at sea.

517. Tactical call signs, with the exception of task organization and aircraft tactical call signs, have a limited area of application. They should not be introduced outside of their normal area of application unless the command assigned such call signs has notified all interested commands in advance.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

518. Call signs are not to be used in the routing line of messages introduced into or relayed over tape relay facilities. However, call signs are authorized for use in procedure line four of the message format.

519. Unless specific exceptions are authorized for intra-nation or service use, communications stations retransmitting messages, which were originated employing visual, or voice call signs, shall convert the address portion of the messages to the appropriate address designators authorized for use on the circuits over which onward transmission is to be accomplished.

USE OF ADDRESS GROUPS

520. Address groups are used primarily for addressing communications. However, in military communications, address groups may, when ordered by allied, national or service authorities, be used as call signs for establishing and maintaining communications, for instance, by naval commands afloat. In non-military communications, where the use of address groups is obviously not appropriate, either internationally recognized call signs or appropriate plain language address designators should be used.

521. The use of address groups in message texts should be avoided, except in procedure and service messages. ([See paragraph 562.b for use when call sign encryption is in effect.](#))

522. In utilizing conjunctive address groups, care must be exercised to ensure that the meaning is completed by the addition of the appropriate address group denoting a specific command or location.

523. The conjunctive address group for “Headquarters/Administrative office of _____ (at _____) (in _____)” is of particular importance because of its employment.

- a. This conjunctive address group is intended for use when a commander is temporarily absent from his headquarters, flagship or office. Although it will indicate to an outside activity that the commander is temporarily absent, the status of that commander’s headquarters/office has not changed and messages from it still carry his authority.
- b. Accordingly, messages shall continue to be addressed to the commander even when replying to a message from “Headquarters/Administrative Office of _____ (at _____) (in _____)”, but shall be routed to his permanent headquarters/office. It is the responsibility of the administrative staff at that headquarters/office to screen the traffic and re-route to the temporary location those messages requiring the personal attention of the commander.
- c. The conjunctive address group meaning “Headquarters/Administrative Office of _____ (at _____) (in _____)” will therefore be used only:
 - (1) As the originator’s address group in messages originated by the administrative staff during the absence of the commander.

UNCLASSIFIED

ACP 121(I)

- (2) As an action or information addressee in a message originated by the commander which he desires his administrative staff to receive.
- d. References to messages originated by “Headquarters/Administrative Office of _____ (at_____) (in_____)” shall contain the plain language designator “Headquarters/Administrative of _____ (at_____) (in_____)” in the reference.
 - e. The conjunctive address group or plain language address designator for “Headquarters/Administrative Office of _____ (at_____) (in_____)” will not be used in any form or combination for calling or answering on a circuit or net.
 - f. When, in the judgement of the commander, the above arrangements will not suffice, he may prescribe such special arrangements as are necessary to insure the expeditious delivery of traffic. In such a case, consideration must be given to the possibility of non-delivery and to the additional load imposed upon communications personnel.
 - g. It is the responsibility of the commander to inform all who need to know, including the communications activities serving or expected to serve him, of such special arrangements.

524. Geographic address groups should be included as part of an address designator only when necessary to complete the titles of addressees or originators, in which case they are used in combination with a conjunctive address group. Geographical address groups should not be used with the names of naval or merchant ships or the titles of commands afloat (except where a geographical address group is required to complete the conjunctive address group, e.g. SOPA TRINCOMALEE).

525. Address Indicating Groups (AIGs): An AIG is a form of military address designator representing a predetermined list of specific and frequently recurring combinations of action and/or information addressees. The identity of the originator may also be included if the AIG is used frequently by any one originator. Each AIG is numbered for ease in identification. An address group is assigned to each AIG for use as an address designator. AIG numbers may also be used as plain language address designators when appropriate.

526. The purpose of AIGs is to increase the speed of traffic handling and to reduce the length of the address component. AIGs may be used whenever suitable, irrespective of whether the message concerned is unclassified or classified, unencrypted or encrypted or in PLAINDRESS or CODRESS form. (See paragraph 533 for additional information concerning AIGs).

527. Special Operating Groups (SOGs): Special operating groups comprised of four letters and identical in appearance with address groups, are provided for use in the headings of messages to give special instructions. They are not to be used until a nation or service has promulgated instructions authorizing their use. They must always be encrypted. They may be used singly, or with encrypted or unencrypted call signs or address groups.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

USE OF ROUTING INDICATORS

528. Routing indicators are primarily station designators and have the fundamental purpose of indicating the communications point of destination to enable correct routing through message relay systems, either manual tape relay, automatic tape relay or computer based systems.

529. Routing indicators may be used in lieu of address designators in procedure and service messages (except crypto service messages) addressed to communications centres of message relay networks, except when addressed to an ACP 123 user, in which case the address must be in plain language.

USE OF PLAIN LANGUAGE STATION AND ADDRESS DESIGNATORS

530. Plain language designators are not authorized for use in lieu of call signs, address groups or routing indicators in establishing and maintaining communications. Use of plain language in the address component of encrypted messages should be contingent upon consideration of the security implications involved. Plain language designators may not be used in conjunction with call signs or address groups. Plain language is only authorized for use in addressing communications:

- a. With encrypted messages when call signs or address groups are not available.
- b. With encrypted messages, which must be filed by non-military, means.
- c. When so directed by national, service or allied authority.

531. In legacy systems, the use of plain language address designators in the heading of CODRESS messages is prohibited.

532. Unless required by appropriate directives, plain language geographical place names shall be used only when necessary to complete the plain language titles of addressees or originators. Plain language geographical place names shall never be used in connection with names of naval or merchant ships or the titles of commands afloat.

ADDRESS COMPOSITION AND USE OF ADDRESS INDICATING GROUPS (AIGS)

533. AIGs are divided into two major categories; those for use by and with national military commands or authorities and those for use by and with allied military commands or authorities. AIGs are allocated by block to allied nations and commands. From the block of AIG numbers allocated, each nation or command should provide AIGs of permanent composition and list them in national publications or ACPs. AIGs of temporary composition requiring only local promulgation should also be provided from the allocated block.

- a. National AIGs should be composed of national military command titles.
- b. Permanent allied AIGs, which must be recorded in ACPs, may be composed of allied military command titles within the allied military command structure,

UNCLASSIFIED

ACP 121(I)

command titles of national military forces under the operational control of allied commanders, and certain national military command titles not part of the allied command structure. The latter may be included only after agreement between the allied authority and the nation concerned. Note that the AIGs described may be used for any purpose

- c. Allied temporary AIGs for local promulgation may include the categories shown in subparagraph 533b above. Subordinate national military command titles may be included if there has been prior agreement by the allied commander and the senior national area commander of the nation concerned. Note that the AIGs described within this paragraph should be used only for the purpose designated.

534. AIGs should be confined to address compositions of a permanent nature. They are normally composed of ten or more addressees, one of which may be the originator. Mobile addressees, such as certain commands afloat, individual ships or aircraft units, which may move from area to area and are thus subject to a change of operational control, should not be included in AIGs primarily assigned for addressing a permanent combination of addressees. The addressing of mobile commands is accomplished as follows:

- a. When these mobile addressees require infrequent receipt of a particular AIG addressed message, the provisions of paragraph 539 below apply.
- b. If a large number of commands afloat require frequent or constant receipt of a specific AIG addressed message, the phrase "All commands afloat (in area¹) copying this broadcast, concerned with (or interested in) the type of message described in column 5 of the AIG" may be included in either the action or information column, as appropriate. The communications centre serving the authority using the AIG designates the appropriate broadcast by operating signals.

535. Messages may be addressed to all addressees of a collective type, such as all air squadrons, or naval control of shipping officers, provided all addressees are listed individually below the collective title in the action or information columns, as appropriate.

536. A concise AIG descriptive title may be included. Descriptive titles assigned to AIGs do not preclude the use of a particular AIG for other types of message, provided the text sufficiently identifies the message as other than that shown in the descriptive title.

537. Responsible commanders and authorities may request assignment of an AIG to a fixed combination of addressees to which messages are frequently addressed. The command or authority requesting assignment of an AIG will be the responsible authority for that AIG and will be listed in parentheses below the AIG number in column 1 of the AIG format.

538. The responsible authority is responsible for forwarding modifications to AIGs as they occur and reviewing the AIG at least quarterly for continued requirement and necessary

¹ Insert national, service or allied area designation, if required.

UNCLASSIFIED

ACP 121(I)

modification. Requests for permanent modification by other than the responsible authority shall be forwarded to the responsible authority to insure that the requested modifications do not detract from the intended use of the AIG.

539. If not all addressees of a particular message are contained in any AIG, the most appropriate AIG may be selected and action and/or information addressee(s) may be added to or exempted from the address using the appropriate address designators, or, if appropriate, included in the text. There is no limitation on the number of addressees that may be added to or exempted from the address of an AIG. However, care must be taken not to create a longer address than if single address designators were used for all addressees. If the same list of addressees is to be added to or exempted from the composition of an AIG regularly, the AIG should be modified as explained in paragraph 538 above. When call sign encryption is in effect and call signs and address groups, which normally would be encrypted, are added to or exempted from the address of an AIG, these call signs and address groups must always be encrypted, using the proper call sign encryption method. Express approval of the responsible authority must be obtained before addressees may be exempted from AIGs designed for a special purpose, as designated in the descriptive title of the AIG.

540. AIGs may be used in conjunction with other AIGs to form the "TO" address. However, if a particular addressee is listed in more than one AIG used, precaution must be taken to prevent duplicate delivery.

541. In the interest of standardization, AIG listings in appropriate publications are arranged as follows:

Line 1	An AIG number for identification purposes. The responsible authority for that AIG number is also inserted in this line in parentheses.
Line 2	The originator's title of the AIG. Sponsor name with contact details.
Line 3	Military action addressees. Addressees should be limited to those for whom delivery can be accomplished through normal military communications channels.
Line 4	Military info addressees. Addressees should be limited to those for whom delivery can be accomplished through normal military communications channels.

542. The appropriate format lines in the message address component shall be used. In the case of PLAINDRESS messages, the AIG number or its address group will always appear in the "TO" line. Additional action and information addressees will appear in the "TO" line or "INFO" line as appropriate. When necessary and when not already provided, the originator's title will appear in the "FM" line.

SECTION III**COMPOSITION AND ALLOCATION OF CALLSIGNS**

543. The Call Sign Allocation Plan is as follows: The International Call Signs allocated to individual nations are reflected in the Table of Allocation of International Call Sign Series contained in the effective edition of the International Telecommunications Union (ITU) Radio

UNCLASSIFIED

ACP 121(I)

Regulations. The first two characters of each call sign, whether two letters or one number and one letter in that order, identify the nationality of the station. In certain instances where the complete alphabetical block is allocated to a single nation, the first letter is sufficient for national identity. Individual assignments are made by appropriate national assignment authorities from national allocations. Future expansion of the table of allocations may require introduction of a new series for allocation to individual nations. This new series would have for its first three characters a letter, a number and a letter in that order. Allocations having as an initial character the letters B, F, G, I, K, M, N, Q, R, U or W would be excluded from this new series.

544. International call signs consisting of three or more characters generally identify stations as follows:

Land and Fixed Stations	Three characters (the third character must always be a letter). These call signs may be expanded by one to three numerals.
Ship Stations	Four characters (the third and fourth characters must always be letters). Numerical expansion is permitted for ships' survival craft stations.
Aircraft Stations	Five characters (the third, fourth and fifth characters must always be letters). Numerical expansion is permitted for aircraft survival craft stations.

545. Military call signs consist of the following letter-numeral combinations:

- a. Letter letter letter number – ACP 100 Series
- b. Letter letter letter letter – ACP 113 Series

546. Certain other combinations of words or numerals, letters or characters, are allocated as call signs to be used for visual and voice identification of ships, aircraft, tactical organizations and task forces, are listed in the appropriate publications. For voice communication, characters when used are normally spoken phonetically.

COMPOSITION AND ALLOCATION OF ADDRESS GROUPS AND ADDRESS INDICATING GROUPS

547. Address Groups – Address groups are derived from the following blocks of four letter combinations²:

AMAA – AOZZ,	BAAA – BZZZ,	DRAA – DTZZ,	EKAA – EZZZ,
HAAA – HDZZ,	HEAA – HGZZ,	HNAA – HNZZ,	HSAA – HSZZ,
HVAA – HVZZ,	HZAA – HZZZ,	JTAA – JVZZ,	JYAA – JZZZ,
LYAA – LYZZ,	ODAA – OMZZ,	SNAA – SUZZ,	XYAA – XZZZ,
YAAA – YAZZ,	YIAA – YLZZ,	YOAA – YRZZ,	YTAA – YUZZ,
YZAA – YZZZ			

² See ACP 100 series for specific allocations

UNCLASSIFIED

ACP 121(I)

COMPOSITION OF ROUTING INDICATORS

548. General – The Combined Routing Indicator Plan has been developed to satisfy the requirement of both strategic/worldwide networks and tactical/theatre type networks. Routing indicators are used in tape relay networks both manual and automatic, many computer based message handling systems and in Teleprinter point to point or switchboard operations. This flexibility and compatibility lends itself to network and transmission mode integration.

549. Combined Routing Indicator Plan (Strategic/Worldwide) – The plan is designed to meet the requirement of both intra-network and inter-network operation of military communications systems. It provides for expansion, both in intra-network facilities and in the number of inter-related networks. Strategic/worldwide routing indicators should not be used within tactical/theatre networks for routing purposes or to indicate delivery responsibility. To facilitate refile of messages, however, it is permissible to transfer messages into tactical theatre networks without deleting strategic worldwide routing indicators from the message heading.

- a. The following factors are reflected in routing indicator assignments:
 - (1) National or international affiliation and service (when required) of the station.
 - (2) The geographical area in which the station is located or area from which it is served.
 - (3) Network status of the station i.e. major or minor relay, or tributary stations.
- b. Routing indicators will consist of not less than four and not more than seven letters, including suffixes. (This does not restrict the use of letters in excess of seven for intra-network purposes; routing indicators consisting of more than seven letters will not be transferred between networks except by specific bilateral agreement of the network authorities concerned.)
- c. The first two letters are pre-allocated as shown in the [Routing Indicator Delineation Table on page 5-14](#). The third letter is initially pre-allocated, but may also be assigned by the responsible national or international authority, in accordance with the provisions of subparagraph 549d(3)(b) and (c) below. The fourth and subsequent letters are assigned by the responsible national or international authority, in accordance with the provisions of subparagraphs 549d(4) and (5), below.
- d. The meaning of allocated letters and of letter positions is as follows:
 - (1) First Letter – The letter “R” or the letter “Q” appears as the first letter and distinguishes strategic/worldwide routing indicators from callsigns, address groups and theatre routing indicators. (However, see paragraph 549d(2) below.)

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

- (2) Second Letter – This letter, in conjunction with the first letter, identifies the nation or international alliance to which allotted. The letter “Q” will be used as a first letter when the identification capabilities of “R” have been exhausted i.e. when twenty-six nations and international alliances have been allotted second letters in conjunction with “R.” The letter “J” is reserved for national reallocation in conjunction with a third letter (subparagraph 549d(3)(iii) below). (The assigned routing indicator will not, in all cases, identify the national or international affiliation of a station since some stations may be served by, or be tributary stations of, the network facilities of another nation or international alliance.)
- (3) Third Letter – This letter position serves the following purposes:
- (i) Normally identifies the geographical area in which a station is located or from which it is served.
 - (ii) Exceptionally, may be used by nations or international alliances, irrespective of geographical area, for specific alternative purposes, such as when the capacity of assigned second letters is insufficient to meet the requirement, or when more than one geographical area is involved as in the case of a tributary actively connected to two different major relay stations.
 - (iii) In conjunction with the second letter “J,” may be reallocated, on a national basis, to a country not listed in the table. Such reallocations will not be published in the basic ACP 121, but may be listed in the supplements of the sponsoring nation.
- (4) Fourth Letter – This letter position serves a dual purpose as follows:
- (i) Indicates major relay stations, as generated by assignment requirements.
 - (ii) Identifies the service or other national/international entity, as shown in the delineation table.
 - (iii) Fifth and Following letters – These letters and positions, when added to the four letters of a major relay routing indicator, designate the minor or tributary stations of that major relay station.
- (5) The letter “C” and all two-letter combinations “CA” through “CZ” are reserved for suffixes to relay station routing indicators. Suffixes are intended to aid the routing of messages for processing purposes or localized action by the relay station or any of its supplementary sections and facilities. The use of these suffixes for intra-network messages is optional but they are not authorized for use on joint or combined messages unless shown in the routing columns of the encode

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

sections of the ACP 117 Series, Allied Routing Indicator Book. The meanings of authorized suffixes are as follows:

Suffix	Definition
C	Local delivery or refile in page form is required. (Used to designate the entire terminal section or the principal tributary station of a relay station.)
CA	National use, optional.
CF	Section, which accomplishes delivery of traffic by broadcast methods.
CI	Section which co-ordinates routing information.
CM	Section, which prepares tape, copies for retransmission.
CN	Electrical conference facility or section.
CP	Circuit/facility control point.
CR	Crypto Centre.
CS	Section dealing with service messages.
CT	Section, which accomplishes delivery of traffic by telephone.
CU	Section with accomplishes delivery of traffic to commercial carriers.
CW	Section, which relays traffic by radiotelegraph (CW).
CY	National use, optional.
CZ	National use, optional.

- e. Major and minor relay stations are designated in accordance with the following criteria:
- (1) Major Relay Station – A relay station is normally designated as a major relay station under either of the following conditions:
 - (i) When connected to two or more trunk routes thereby providing an alternative route.
 - (ii) To meet command requirements.
- f. Minor Relay Station – A relay station is designated as a minor relay station when it has relay responsibilities, but does not provide an alternate route.
- (1) Major and minor relay stations are identified by the number of letters in their routing indicators as follows:

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

- (i) Major Relay Station – Four letters.
 - (ii) Minor Relay Station – Five or more letters.
- g. Combined Routing Indicator Plan (Tactical/Theatre) – The plan is designed to meet requirements of military communications systems self-contained within a command/theatre. Except for the differences outlined below, this plan is identical with the strategic/worldwide plan.
- (1) Tactical/theatre routing indicators are restricted to use within the individual system. These routing indicators shall not be used in the heading of messages transmitted over the networks of strategic/worldwide communications systems³.
 - (2) The letter “U” always appears as the first letter and distinguishes tactical/theatre routing indicators from call signs, address groups and strategic/worldwide routing indicators.
- h. Each nation and international alliance shall be allotted the same letter in the second position as in the strategic/worldwide plan. As a result, two nations or alliances in some instances will share the same letter in this position. In such cases, care must be exercised in the allocation to avoid confusion in the operation of allied networks, e.g. allocation of the same second letter in the strategic/worldwide plan to two NATO nations should be avoided.

Uncontrolled copy when printed

³ In the case of readdressal, since the theatre routing indicators are contained in the original message heading and therefore have no bearing on the supplementary heading, it is not considered essential that they be substituted by the operating signal ZEN.

UNCLASSIFIED

ACP 121(I)

ROUTING INDICATOR DELINEATION TABLE

LTR	First Position	Second Position		Third Position	Forth Position
		Nation or International Alliance with:			
		R in 1 st Position	Q in 1 st Position	Geographic area (see Note 7)	Service
A		Australia		Eastern Asia	Army
B		United Kingdom			Army
C		Canada		Central North America	Army
D		Denmark		United Kingdom Iceland	Army
E		Spain		Eastern North America	Army
F		France		Continental Europe	Army
G		Germany		Continental Europe	Army
H		United States		Central and Southern Pacific	Army
I		Italy			Navy
J		Reserved for National reallocation (see Note 7)			Navy
K		Greece		Alaska-Aleutians	Navy
L		Luxembourg		Caribbean and South America	Navy
M		SEATO		Philippines and Thailand	Navy
N		Netherlands			Navy
O		Japan			Navy
P		Portugal			Air Force
Q	Reserve Worldwide Routing Indication (see Note 5)	Belgium		Middle East	Air Force
R	Worldwide Routing Indicator				Air Force
S		South Africa		Western Asia	Air Force
T		Turkey		North Western Africa	Air Force
U	Theatre Routing Indicator (see Note 6)	United States			Air Force
V					Air Force
W		NATO		Western North America	As Required
X		NATO			As Required
Y		Norway		Australia and New Zealand	As Required
Z		New Zealand			As Required

Table 5-1

NOTES:

1. Geographical areas listed in the third column are shown in the Routing Indicator Delineation Map.
2. Automatic equipment having the capability of recognising letters indicated in the second position are expected to be set to recognise and act on those letters assigned to nations and international alliances with which there is the greatest requirement for traffic exchange. Traffic addressed to other nations/international alliances for which automatic equipment does not have

UNCLASSIFIED

ACP 121(I)

the capability to recognise and act upon letters in the second position will require manual handling.

3. Service, or other entity (e.g. special or joint networks) identification is designated by the fourth letter position. The allocations shown above should be used. They will be reflected in the ACP 117 series or appropriate supplement(s). Any deviation from the standard allocation will also be reflected in the appropriate routing documents.

4. Where required, the letters A, I, P and W may be used to indicate major relay stations of primary status. The purpose of this indication is to facilitate the identification of relay stations having primary influence within a network over traffic routing in designated geographical areas. When this is the case, the station will be listed as a "Primary Relay Station."

5. See subparagraphs 549d(1) and (2)

6. See subparagraph 549g.

7. See subparagraph 549d(3).

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

SECTION IV**ASSIGNMENTS AND REQUESTS**

550. International call signs are assigned by each nation in accordance with the International Allocation Table. Assignments which require promulgation in ACPs are to be reported to the preparing agency.

551. Call signs and address groups are assigned by national, service or command authorities from allocations in relevant publications. Assignments which require promulgation in ACPs are to be reported to the preparing agency.

552. Address groups are assigned to facilitate addressing of messages as follows:

- a. When a nation, service or command normally prescribes the use of PLAINDRESS procedure for encrypted and unencrypted messages and the frequency and volume of traffic to and from an activity is considered sufficiently large, an address group may be assigned to the activity.
- b. When a nation, service or command normally prescribes the use of CODRESS procedure for encrypted messages and:
 - (1) The activity operates its own crypto centre but cannot be called directly; an address group may be assigned to permit the called stations to determine refile or delivery responsibility without decrypting the message.
 - (2) If the activity in question does not operate its own crypto centre and its encrypted traffic must be routed to an activity previously designated as guard, an address group is not normally assigned.
- c. Routing indicators are normally assigned only to tape relay communications facilities. Each such facility may serve any number of commands or activities. Routing indicators are assigned by the appropriate national authority in accordance with the combined Routing Indicator Plan described in paragraph 549. Those worldwide indicators to be promulgated in the ACP 117 series are to be reported to the appropriate authority.
- d. Address indicating groups (AIGs) are assigned as necessary to fulfil the requirements of [paragraph 525](#).

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

REQUESTS

553. Requests for call signs, address groups and routing indicators shall be forwarded through the command channels to the national or allied assignment authority.

554. Requests by the national or allied assignment authorities for new or increased allocations of call signs and address groups shall be forwarded to the preparing agency.

555. All requests for call signs and address groups shall be submitted in accordance with the instructions contained in this chapter and shall include the type required as specified in [paragraph 502](#).

FORMAT FOR SUBMITTING REQUESTS FOR CORRECTIONS

556. To aid the preparing agency in maintaining the call sign, address group and routing indicator publications it is essential that requests for amendments be forwarded in the correct format, as outlined in the publication, which it is desired to amend.

SECTION V**SECURITY OF CALL SIGNS AND ADDRESS GROUPS****GENERAL**

557. Secure call signs and address groups are used on insecure nets and links to conceal the identities of stations or messages originators and addressees and so make interception and traffic analysis more difficult.

558. When call sign/address group assignments are changed frequently, traffic analysis is impeded because:

- a. Stations must be re-identified or linkage established before target information can be provided to intercept stations.
- b. Assumptions and inferences concerning the order of battle implied by previously reconstructed nets and networks must be re-evaluated.
- c. Originators and addressees of messages are unknown until the new assignments can be determined.

METHODS FOR CHANGING CALL SIGN/ADDRESS GROUPS

559. The following methods may be used to obtain call signs/address groups; the degree of security attained is dependent upon the rate of change:

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

- a. Centralized random scrambles are most easily obtained by using machine processes to re-order a population of call signs/address groups, which are then distributed to activities for use.
- b. Systematic rotations are used to change call signs/address groups without re-ordering the allocated call sign/address group population. References (which may be block-row-column designators, page-line designators, etc) are assigned in lieu of call signs/address groups. Rotation of call sign/address group assignments is accomplished by changing references by means of conversion tables.
- c. Encryption is used to change assigned groups by substituting new characters through use of changing key lists. Groups to be encrypted shall be designated by the appropriate authority.

560. Nations, services or allied commands, in selecting which of the above methods shall be used, must consider the operational requirements and capabilities of not only their own forces, but also those of any nation, service or allied command with which they may be exchanging message traffic.

IMPLEMENTATION OF SECURE CALL SIGNS/ADDRESS GROUPS

561. Scrambled and Rotation methods. As a means of providing call signs/address groups security, nations, services or allied commands may direct that a periodic change of certain call sign/address groups to be accomplished through use of either of the methods described in paragraphs 559a and b above.

562. Encryption Method. Nations, services or allied commands may direct that a periodic change of certain call signs and address groups be accomplished by encryption by those forces equipped to employ this method. Instructions for the call signs and address groups to be encrypted and appropriate distribution of the cryptographic devices must be confirmed prior to implementation.

- a. Protection of Encrypted Call Signs/Address Groups:
 - (1) When call sign encryption is directed, forces under the operational control of the implementing authority not so equipped will be required by the implementing directive to provide protection for the call sign encryption system. This is achieved by including the address within the encrypted text (i.e. CODRESS) and employing unencrypted call signs or address groups in the transmission instructions only as may be necessary to achieve delivery of a particular transmission, or safeguarding the security of the system by use of passing instructions within the encrypted text.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

(2) When call sign encryption is in force for both encrypted and unencrypted messages, the text of unencrypted messages must not contain information, which will reveal the identity of the originator and/or addressees and thus compromise their own headings. This may be overcome by substitution of encrypted call signs or address groups for ships, organizations etc or by encryption of the message.

- b. Identification of Encrypted Call Signs/Address Groups Encrypted call signs and address groups will be identified by an unencrypted character appended as the fifth element, after encryption of the assigned call sign or address group. The unencrypted character also identifies the cryptographic keying material being employed.

563. Co-ordination. Prior to implementation of secure call sign and address group plans, co-ordination with the appropriate communication security agency is required to assure the availability of necessary materials. To minimize confusion and reduce the possibility of compromise, all implementing authorities are to ensure that all appropriate service, national or allied commanders are advised immediately. This information is required as it is essential that other services protect the secure call signs or address groups of the implementing service.

564. Training. Training in the appropriate methods, materials and procedures for obtaining and using secure call signs/address groups is the responsibility of national, service and allied commanders. Exercise commanders may be authorized to place changing call sign/address group plans in effect for exercise purposes. Precautions must be taken to ensure that co-ordination has been affected with commands in adjacent areas Arrangements for the materials required for training or exercises should be made with the appropriate command security agency.

SECURITY CLASSIFICATION OF CALL SIGN/ADDRESS GROUP INFORMATION

565. General. The following guidance is provided to assist authorities in determining the correct security classification to be assigned to individual call signs/address groups, block allocations of call signs/address groups, publications containing call sign/address group allocations and/or assignments, or extracts of call sign/address group ACPs or supplements. The application of a security classification to call sign and address group information is made for the purpose of denying to an enemy an important basis for communications intercept. Knowledge of the call sign and/or address group population in use by an organization may be of value to an enemy intelligence unit desiring to intercept the communications of that organization.

566. Call Sign/Address Group ACPs and Supplements. Those publications classified CONFIDENTIAL have been assigned that classification primarily for the purpose of restricting the accessibility of unauthorized persons to the overall system. Basic assignments contained in these publications do not provide security of address in their own right, but must become part of a system for obtaining changing call signs/address groups if security of address is required (paragraph 559).

567. Individual Call Sign/Address Group Assignments. These assignments must be classified on their own merit depending upon the degree of sensitivity of the command, activity

UNCLASSIFIED

ACP 121(I)

or purpose for which assigned and the amount of sensitive information associated with the assignment. Normally, individual unencrypted or non-changing call sign/address group assignments are considered unclassified. However, a compilation of call signs/address groups and associated assignment information may provide sensitive information, in which instance, the listing should be classified accordingly. Call signs assigned to fixed stations are considered unclassified. It may be desirable to classify information pertaining to a fixed station during planning and development stages, however, once that fixed station becomes operational, the location and call sign can no longer be disguised.

568. **Block Allocations of Call Signs/Address Groups.** Block allocations of call signs used in tactical communications are normally classified **CONFIDENTIAL** to restrict access to this information.

569. **Service, Agency or Command Publications.** Call sign/address group allocations and/or assignments included in documents such as OPLANs, OPORDs, CEOIs, SOIs and similar type documents, should be assigned security classifications determined in accordance with paragraphs 567 and 568 above.

570. **Extracts of Call Sign/Address Group ACPs or Supplements** should normally be assigned security classifications determined in accordance with paragraphs 567 and 569 above.

571. **Exceptions.** In any situation not specifically covered by the foregoing, the security classification assigned to the basic publication from which the allocation(s) and/or assignment(s) are obtained should be used.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

CHAPTER 6**SPECIAL INSTRUCTIONS AND PROCEDURES****SECTION I****RECORDS TYPE AND IMPORTANCE**

601. The maintenance of an adequate and carefully prepared communications log is important. Daily communication office/centre logs shall be maintained by supervisory personnel to afford a comprehensive report of all circuit interruptions, delays to traffic movement and any other irregularities of operation. This record should be maintained in sufficient detail to explain adequately all traffic handling delays and circuit interruptions.

602. Number sheets, circuit logs or audit files, as appropriate, are to be maintained when practicable by all transmitting, receiving and relaying stations and are to record every transmission sent or received.

SECTION II**GENERAL CALLING PROCEDURES****DOUBLE CALL SIGN CALLING PROCEDURE**

603. The standard Allied method of establishing and conducting combined communications is the call sign of the station called, followed by the call sign of the calling station and separated by the Prosign "DE" or the Proword "THIS IS." Details of this procedure are contained in the appropriate ACPs as listed on [page 2-7](#).

EXAMPLE; C6M DE D4T

SINGLE CALL SIGN CALLING PROCEDURE

604. The single call sign calling procedure is a method of establishing and conducting radiotelephone communications in which subordinate station call signs are used exclusively. This procedure may be sanctioned for Allied use in combined operations only when all participating military services have previously subscribed nationally to its use on an intra basis. Details of this procedure are not contained in basic ACPs but will appear in ACP supplements of the nations and/or services subscribing to its use.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

SECTION III**CODRESS****GENERAL**

605. CODRESS is a procedure whereby the entire address of a message is contained within the encrypted text. The heading of any transmission of the message contains only the information necessary to enable communications personnel to handle it correctly. CODRESS procedure provides a means of denying information that may be revealed by the inclusion of the full address in the heading of a message. CODRESS is not supported by ACP 123 systems as these systems require the complete PLAD components to make delivery.

606. CODRESS may be implemented by a nation, service or appropriate allied authority for use with high-grade off-line crypto systems. These authorities may prescribe the general use of CODRESS or may delegate authority to implement the procedure to a subordinate commander within his area of responsibility, unless CODRESS has been declared mandatory by a higher authority. To minimize confusion and reduce the possibility of compromise, all implementing authorities shall ensure that appropriate national services or command authorities are advised immediately of implementation.

607. To provide maximum transmission security, CODRESS should be used when making a classified reply or reference to a CODRESS message.

RULES FOR USE

608. The address in the text of a CODRESS message is to be written in the order: Originator, Action addressee(s), Information addressee(s) and Exempt addressee(s), preceded by the appropriate prosigns.

609. Additional passing instructions, which can be encrypted, should also be placed in the text as part of the address or elsewhere.

610. Plain language addressees only may be used in the text. (See also Para 612)

611. On each transmission of a message, the message heading shall include only such station or address designations as are necessary to enable relaying or receiving stations to handle the message correctly and expeditiously. External transmission and message instructions shall be kept to a minimum for each transmission i.e. those necessary to enable the station called to determine its responsibility without decrypting the message. If the station called is to decrypt the message as well as relay it, the station designations of both the station called and the station to which the message must be relayed will be included in the transmission instructions.

612. Plain language addressees in the headings of CODRESS messages are prohibited on military circuits. It is permissible to use plain language addresses when necessary for commercial filing or signalling. Plain language addresses, including cable or telegraphic addresses of either the actual addressee(s) or the communications centre(s) serving the

UNCLASSIFIED

ACP 121(I)

addressee(s) may be used. In the case of multiple address messages, only the addresses of those addressees reached by commercial means will appear in the heading. The address in the heading is not to be an exact duplicate of that in the encrypted text. Should a commercial station or office require the message to bear a signature, the plain language designator of the filing communication centre or authority may be used.

SECTION IV**ENEMY CONTACT REPORTS****GENERAL**

613. The purpose of this section is to present the basic communications information required for the reporting of enemy contacts in time of emergency. The ACP 176 series should be consulted for complete details of maritime enemy contact reporting.

COMMAND RESPONSIBILITY

614. It is the responsibility of each commander to promulgate detailed instructions for reporting contact with the enemy, covering what to report, to whom to report it and the format of the report.

RESPONSIBILITIES OF THE COMMUNICATIONS ORGANIZATION

615. Reporting enemy contacts and forwarding vital information, while a function of command depend to a great degree on the ability of communications personnel to handle the reports correctly and rapidly. Accordingly, the basic principles involved in preparing and transmitting enemy contact reports are set forth below in order that communications personnel may at all times be aware of their importance and well acquainted with such special handling practices as are required.

TYPE AND COMPOSITION OF REPORTS

616. The standard form for reporting enemy contacts consists of four components transmitted in the following sequence:

- a. WHAT – The number and description of the enemy (using raid or locating prefix as appropriate).
- b. WHERE – The position of the enemy.
- c. WHITHER – The course and speed of the enemy.
- d. WHEN – Normally the date-time group of the message; however, the observation or detection time may be signalled if wished as a time group forming part of the text of the message.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

617. When contact has first been made with the enemy, the fact should normally be reported immediately by means of an initial report, using the standard form given in paragraph 616a. above.

618. There may be occasions when the originator of an initial report is unable to observe and report the details of all the components of the standard form. Nevertheless, some form of report must be made to alert other friendly forces. This is done by using an abbreviated form, signaling the “WHAT” component, plus other components for which there are time. A report of this kind is, however, of value only to ships and aircraft that are in company with the originator, unless the “WHERE” component can be included and expressed geographically.

619. The initial report should be followed by amplifying reports. These should refer to the initial report and contain such additional information as may have been gleaned after the initial report was filed. The first amplifying report must contain the latest position of the enemy (i.e. the “WHERE” component).

SPEED AND SECURITY IN TRANSMITTING ENEMY CONTACT REPORTS

620. The relative importance between speed and security in reporting enemy contacts depends upon the circumstances at the time.

621. If it is obvious that the enemy is aware that he has been contacted, or is in a position to inflict early damage, speed is more important than security.

622. It is important that security restrictions are not imposed unnecessarily. Their imposition will delay transmission, especially from aircraft and particularly from those, which carry a crew of less than three.

623. Security precautions should be observed whenever practicable in order to deny the enemy valuable information, which, if transmitted in plain language and intercepted by the enemy, gives time to counter attack.

TRANSMISSION

624. The procedure to be used for the transmission of enemy contact reports by radiotelephony are given in ACP 125.

PRECEDENCE

625. The degree of precedence, which should be used with the different types of enemy contact reports, is given in [paragraph 370](#). However, air combat reports do not require any indication of precedence, nor do raid reports within a force, since these are made on special nets.

Uncontrolled copy when printed

UNCLASSIFIED

ACP 121(I)

AUTHENTICATION

626. Authentication, when in force, should be used when making initial, amplifying and negative reports in plain language or a brevity code. Lack of such authentication should not, however, prevent retransmission or relay of the message to higher authority.

Uncontrolled copy when printed

UNCLASSIFIED

UNCLASSIFIED

ACP 121(I)

GLOSSARY OF ABBREVIATIONS AND TERMS

Abbreviation	Definition
ACP	Allied Communications Publication
CIS	The term Communications Information System (CIS) is now widely used in place of Military Communications.
HGM	HGM – High Grade Messaging, Formally Signal Messages or Military Messaging
MHS/MMHS	The term Message Handling System (MHS) or Military MHS (MMHS) is used when referring to computer based message handling systems.
PLA	The official Plain Language Address of a command, organization or formation.
SMA	The official Signal Message Address of a command, organization or formation.

Term	Definition
Authority	An authority is any person qualified and empowered to make decisions or give orders on behalf of the commander.
Classification	A critical element of any message, which shows the security protection that, should be given to the signal by originators and addressees.
Combined	Communications between two or more forces or agencies of two or more allies. (When all Allies or Services are not involved, the participating nations and services shall be identified, e.g. Combined NATO Navies).
Intra	(Followed by an appropriate word to amplify the meaning). Within, and only within a designated organization, e.g. intra-force, intra-Navy, intra-NATO.
Joint	Between two or more services of the same nation. (When all services are not involved, the participating services shall be identified, e.g. Joint Army/Navy.)
Message	A message is any thought or idea expressed in plain language that is prepared in a concise form and is suitable for transmission by any means of communication, subject to the classification of the text.
PLA	The official Plain Language Address of a command, organization or formation.
Reliability	The measures that are taken to ensure that the message is delivered to each addressee within the time limits specified.
Security	The measures taken to ensure that information is not made available to or intercepted by unauthorized personnel.
Short Title	The abbreviated form of proper names which together make up a title, e.g. of a command/formation, document or device.
Speed	Specifies the time frame in which addressees should receive messages from the originator. Telecommunications – Any transmission, emission or reception of signals in written form, including images and sounds or intelligence of any nature by fixed infrastructure, radio, visual or other electromagnetic systems.
Text	The portion or “body” of a message containing the thought or ideas of the originator that are to be conveyed to others.

Uncontrolled copy when printed